

# Algorithms for Identifying Rigid Subsystems in Geometric Constraint Systems

Christophe Jermann

AI Lab.

EPFL, 1015 Lausanne

Switzerland

e-mail: Christophe.Jermann@epfl.ch

Bertrand Neveu and Gilles Trombettoni

COPRIN Team, INRIA-I3S/CNRS-CERMICS,

2004 route des lucioles, BP 93,

06902 Sophia Antipolis, France

e-mail: Bertrand.Neveu@sophia.inria.fr,

Gilles.Trombettoni@sophia.inria.fr

## Abstract

The structural rigidity property, a generalization of Laman's theorem which characterizes rigid bar frameworks in 2D, is generally considered a good approximation of rigidity in geometric constraint satisfaction problems (GCSPs). However, it may fail even on simple GCSPs because it does not take geometric properties into account.

In this paper, we question the flow-based algorithm used by Hoffmann *et al.* to identify rigid subGCSPs. We show that this algorithm may fail because of the structural rigidity, but also by design. We introduce a new flow-based algorithm which uses Jermann *et al.*'s characterization of rigidity. We show that this algorithm is correct in 2D and 3D, and can be used to tackle the major issues related to rigidity: deciding whether a GCSP is rigid or not and identifying rigid (or over-rigid) subGCSPs.

**Keywords:** Geometric Constraints, Rigidity characterization, Flow algorithms

## 1 Introduction

Geometric constraint satisfaction problems (GCSPs) arise naturally in several areas, such as CAD, robotics and molecular biology. The rigidity concept is in the heart of many of these problems: deciding whether a GCSP is rigid or not, detecting rigid or over-rigid sub-parts, and so on.

Several methods [Kramer, 1992; Bouma *et al.*, 1995; Dufourd *et al.*, 1998; Lamure and Michelucci, 1998; Hoffmann *et al.*, 2000; Jermann *et al.*, 2000; Jermann, 2002] for solving GCSPs have to deal with rigidity; e.g., geometric decompositions produce sequences of rigid subGCSPs to be solved separately and then assembled.

The techniques used for rigidity detection can be classified in two categories: pattern-based approaches [Bouma *et al.*, 1995; Kramer, 1992] depend on a repertoire of rigid bodies of known *shape* which cannot cover all practical instances; flow-based approaches [Hoffmann *et al.*, 1997; Lamure and Michelucci, 1998] use flow (or maximum matching) machinery to identify subGCSPs verifying the *structural rigidity*, a property based on a degree of freedom count.

The latter approaches are more general eventhough structural rigidity is only an approximation of rigidity. Heuristics,

like *ad-hoc* geometric rules, have been proposed to enhance structural rigidity capabilities, none of which succeeded to cover the gap between structural rigidity and rigidity. In [Jermann *et al.*, 2002], we have defined the *extended structural rigidity*, a new approximation of rigidity which supersedes even the heuristically enhanced characterizations.

In this paper, we focus on the algorithmic aspects of the structural characterization of rigidity. [Hoffmann *et al.*, 1997] have proposed a flow-based algorithm called *Dense* for this purpose. After providing the necessary background (Section 2), we exemplify the limits of this algorithm and the capabilities of our new algorithm (Section 3). Section 4 presents the specificities of our new algorithm and explains its advantages: it uses the extended structural rigidity instead of the structural rigidity and it is designed in a geometrically correct way. To conclude, we explain how this algorithm can be used to tackle the major issues related to rigidity.

## 2 Background

This section provides the necessary background for the paper. It formally defines GCSPs, the rigidity concept and the structural characterizations of rigidity.

### 2.1 Geometric Constraint Satisfaction Problems

#### Definition 1 GCSP

A **geometric constraint satisfaction problem** (GCSP)  $S = (O, C)$  is defined by a set  $O$  of geometric objects and a set  $C$  of geometric constraints binding its objects.

$S' = (O', C')$  is a **subGCSP** of  $S = (O, C)$  (noted  $S' \subset S$ ) iff  $O' \subset O$  and  $C' = \{c \in C | c \text{ binds only objects in } O'\}$  (i.e.,  $S'$  is induced by  $O'$ ).




Figure 1: Two examples of GCSPs

Fig. 1-a presents a GCSP in 2D composed of 3 lines constrained by 2 parallelisms and 2 line-line distances; Fig. 1-b

depicts a GCSP in 3D composed of 1 line and 5 points bound by 4 point-line incidences and 5 point-point distances.

We assume that geometric objects are indeformable (e.g., no circle with variable radius). Also geometric constraints must involve only positions and orientations of the objects and they must be independent from the global reference system (i.e., constraints only fix objects relatively one to another). These limitations make the structural characterizations of rigidity easier and are mandatory for geometric solving methods based on rigidity.

According to these restrictions, a solution to a GCSP  $S = (O, C)$  is composed of one position and orientation for each object in  $O$  and satisfies all the constraints in  $C$ . For the solving purpose, a GCSP is translated into a system of equations: each object is represented by a set of unknowns (over the reals) which determine its position and orientation; each constraint becomes a system of equations on the unknowns of the objects it constrains.

## 2.2 Rigidity

Rigidity is defined w.r.t. *movements*. A movement in a GCSP is either a *deformation* (if it does not preserve the relative positions of the objects) or a *displacement* (rotation+translation). Intuitively, a GCSP is *rigid* if it admits no deformation, and all the displacements of the geometric space. It is *under-rigid* if it admits some deformations, and *over-rigid* if it does not admit some displacements or has no solution. More formal definitions of rigidity can be found in [Whiteley, 1987].

In Fig. 1-b, the subGCSP  $CDF$  is rigid since a triangle is indeformable and admits all translations and rotations in 3D. The subGCSP  $AF$  is under-rigid: point  $F$  can move independently of line  $A$  since there is no constraint between them. The subGCSP  $ACDEF$  is over-rigid since it has no solution: generically, it is impossible to place a point at the intersection of the 3 spheres (= 3 distance constraints) which centers are aligned.

## 2.3 Structural Rigidity

The *structural rigidity* corresponds to an analysis of *degrees of freedom* (DOF) in a GCSP. Intuitively, one DOF represents one independent movement in a GCSP. More formally:

### Definition 2 Degree of freedom (DOF)

- *Object o*:  $DOF(o)$  is the number of independent parameters used to determine the position and the orientation of  $o$ .
- *Constraint c*:  $DOF(c)$  is the number of independent equations in the subsystem of equations representing  $c$ .
- *GCSP*  $S = (O, C)$ :  $DOF(S) = \sum_O DOF(o) - \sum_C DOF(c)$ .

In 3D, points have 3 DOFs, lines have 4 DOFs; point-line incidences remove 2 DOFs, and point-point distances remove 1 DOF. Thus, subGCSPs  $ACD$ ,  $CDF$  and  $AF$  from the GCSP in Fig. 1-b have respectively 5, 6 and 7 DOFs.

Structural rigidity is a generalization of Laman's theorem [Laman, 1970], which characterizes generic rigidity of 2D bar frameworks. It is based on the following intuition: if a GCSP admits less (resp. more) movements than the number of independent displacements in the considered geometric

space (which is  $\frac{d(d+1)}{2}$  in dimension  $d$ ), then it is over-(resp. under-)rigid.

### Definition 3 Structural rigidity (s\_rigidity)

A GCSP  $S = (O, C)$  in dimension  $d$  is **s\_rigid** iff  $DOF(S) = \frac{d(d+1)}{2}$  and  $\forall S' \subset S, DOF(S') \geq \frac{d(d+1)}{2}$ .

$S$  is under-s\_rigid iff  $DOF(S) > \frac{d(d+1)}{2}$  and contains no over-s\_rigid subGCSP.

$S$  is over-s\_rigid iff  $\exists S' \subseteq S, DOF(S') < \frac{d(d+1)}{2}$ .

In practice, structural rigidity is considered a *good approximation* of rigidity [Lamure and Michelucci, 1998; Hoffmann *et al.*, 1997]. However, the gap between rigidity and s\_rigidity is in fact significant (see [Jermann *et al.*, 2002]). We illustrate the difference on two subGCSPs from Fig. 1-b:  $ABCD$  is s\_rigid in 3D since  $DOF(ABCD)=6$ ; it is in fact under-rigid since point  $B$  can move independently of segment  $CD$  along line  $A$ .  $ACDE$  is over-s\_rigid since  $DOF(ACDE)=5$ , but it is in fact well-rigid.

## 2.4 Extended Structural Rigidity

The extended structural rigidity (es\_rigidity in short) is based on the *degree of rigidity* (DOR) concept. The DOR of a subGCSP is the number of independent displacements it admits; it depends on the geometric properties it verifies. For example, the DOR of two lines in 2D is 3 if they are not parallel, 2 if they are parallel; the parallelism property can be an explicit constraint, but it can also be induced by the constraints of the GCSP embedding these lines. In this second case, computing the DOR may be equivalent to geometric theorem proving.

The principle behind the extended structural rigidity is the following: a GCSP is rigid if all its movements are displacements. Hence, comparing its DOF to its DOR allows us to determine if it admits movements (DOF) which are not displacements (DOR), i.e., deformations.

### Definition 4 Extended Structural Rigidity (es\_rigidity)

A GCSP  $S = (O, C)$  in dimension  $d$  is **es\_rigid** iff  $DOF(S)=DOR(S)$  and  $\forall S' \subset S, DOF(S') \geq DOR(S')$ .

$S$  is under-es\_rigid iff  $DOF(S) > DOR(S)$  and contains no over-es\_rigid subGCSP.

$S$  is over-es\_rigid iff  $\exists S' \subseteq S, DOF(S') < DOR(S')$ .

The es\_rigidity is superior to the s\_rigidity (e.g., es\_rigidity exactly corresponds to rigidity on every subGCSPs in Fig. 1). See [Jermann *et al.*, 2002] for a comparison between s\_rigidity and es\_rigidity and details about the DOR concept.

## 2.5 Object-Constraint Network

A GCSP  $S = (O, C)$  can be transformed into an *object-constraint network*  $G = (s, V, t, E, w)$ . Fig. 2-a depicts the object-constraint network of the GCSP presented in Fig. 1-a. A flow in this network (introduced in [Hoffmann *et al.*, 1997]) represents a distribution of the DOFs of the constraints onto the DOFs of the objects. This is why flow computation is used to perform the DOF analysis which is at the basis of structural characterization of rigidity: in Section 4, we will explain how this network is used for s\_rigidity ([Hoffmann *et al.*, 1997]'s Dense algorithm) and es\_rigidity (our new algorithm).




Figure 2: Object-constraint networks and flow distributions

**Definition 5 Object-Constraint Network**  $(s, V, t, E, w)$

- $s$  is the source and  $t$  is the sink.
- Each object  $o \in O$  becomes an object-node  $v_o \in V$ .
- Each constraint  $c \in C$  becomes a constraint-node  $v_c \in V$ .
- For each object  $o \in O$  there is an arc  $v_o \rightarrow T$  of capacity  $w(v_o \rightarrow T) = \text{DOF}(o)$  in  $E$ .
- For each constraint  $c \in C$ , there is an arc  $S \rightarrow v_c$  of capacity  $w(S \rightarrow v_c) = \text{DOF}(c)$  in  $E$ .
- For each object  $o \in O$  constrained by  $c \in C$  there is an arc  $v_c \rightarrow v_o$  of capacity  $w(v_c \rightarrow v_o) = \infty$  in  $E$ .

**3 Overview**

In this section, we exemplify the contribution presented in this paper on the GCSPs in Fig. 1. We illustrate the two main differences between algorithm Dense and our algorithm:

1. In our algorithm, the overflow depends on the geometric properties of the objects it is applied to, while it depends only on the dimension of the geometric space in Dense.
2. In our algorithm, the overflow is applied via a dedicated node  $R$  which can be attached to any subset of objects, while it is applied directly via one constraint-node in Dense.

**Example 1**

The first example (Fig. 1-a; in 2D) highlights the first difference. Fig. 2-a presents the object-constraint network associated to this GCSP. In this picture, one can see the overload  $K = 3$  applied on the first constraint by algorithm Dense. This constraint is linked to two lines,  $A$  and  $B$ , which are parallel and lie at prescribed distance in the plane;  $AB$  is a rigid subGCSP. However, one can easily see that the overload cannot be distributed completely since a capacity 5 (two constraints plus the overload) is applied to two lines having only 4 DOFs. Hence, the GCSP is identified as over-rigid since it contains a sub-GCSP with less than 3 DOFs.

Fig. 2-b displays our algorithm behavior when the virtual constraint  $R$  is linked to the same subGCSP,  $AB$ . The value of the overflow  $K$  is computed according to the geometric

properties of these lines: since they are parallel,  $K = 2$  (instead of 3 in algorithm Dense). Thus, the flow can be saturated: a capacity 4 (two constraints plus the overflow) exactly matches the 4 DOFs of  $AB$ ; the GCSP is not identified over-rigid by our algorithm. Further overflow applications would allow to identify the GCSP as well-rigid.

**Example 2**

The second example (Fig. 1-b; in 3D) illustrates the second difference. Its object-constraint network is depicted in Fig. 2-d. This figure shows the application of an overflow 6 via the virtual constraint  $R$  onto the 3 points  $C$ ,  $E$  and  $F$  by our algorithm; the overflow cannot be distributed completely, which signals an over-rigid subGCSP:  $ACDEF$ , found by adding reachable objects from  $R$  in the residual graph.

Algorithm Dense applies the overflow directly through a constraint-node. Since all constraints are binary in this example, Dense cannot apply an overflow to the same set of objects as our algorithm. More generally, Dense cannot apply the overflow to all subGCSPs and can miss rigid or over-rigid ones. Moreover, applying the overflow 6 to a pair of objects in this GCSP leads to an incorrect answer, as it was the case in the previous example; e.g., segments which are rigid would be identified over-rigid.

These examples show that some simple and very common subGCSPs in 2D and 3D, like parallel lines, triangles or segments, cannot be treated correctly by algorithm Dense<sup>1</sup>.

In the following section, we detail the differences between algorithm Dense and our new algorithm and we present their consequences.

**4 Algorithms**

In this section, we present Hoffmann *et al.*'s Dense algorithm in comparison to our new algorithm. Both use flow machinery on the object-constraint network representing the GCSP. Our algorithm has two main differences with algorithm Dense:

- It uses `es_rigidity` instead of `s_rigidity`.
- It distributes flow in a *geometrically correct* way in the network.

These new features are achieved thanks to two major modifications in the `Distribute` function used by Dense (see beginning of Section 3).

We introduce first the principle of flow-based characterization of rigidity; then we present and discuss function `Distribute` which is the key to our contribution. Finally we explain how this function is used to design algorithms for the main problems related to rigidity.

**4.1 Flow-based Rigidity Detection**

From the geometric point of view, the principle of structural characterization of rigidity is to check if a GCSP admits only displacements. Hence, flow-based rigidity identification can be understood as follows:

<sup>1</sup>In practice [Sitharam, 2000], Dense embeds heuristic rules to prevent this kind of simple failures, but more complicated examples can still mistake the algorithm since no rule-based approach can handle all the singular cases.

1. remove  $K$  displacements from the GCSP by introducing  $K$  DOFs on the constraint side;
2. check if an over-constrained subGCSP  $S'$  exists by computing a maximum flow in the overloaded object-constraint network;
3. if so  $S'$  verifies  $\text{DOF}(S') < K$ .

Indeed, a maximum flow in the object-constraint network represents an *optimal* distribution of the DOFs of the constraints among the DOFs of the objects. If it does not saturate all the arcs outgoing from the source, some constraints' DOFs cannot be absorbed by the objects, i.e., the GCSP is over-constrained. In this case, there exists a subGCSP  $S'$  such that  $\text{DOF}(S') < 0$ . When an overflow  $K$  is applied in the network on the constraint side, the identified subGCSP  $S'$  verifies  $\text{DOF}(S') < K$ . [Hoffmann *et al.*, 1997] have proven that  $S'$  is then induced by the objects traversed during the last search for an augmenting path, i.e., by the objects reachable from the overloaded constraint-node in the residual graph.

Depending on the value of  $K$ , this principle can be applied to identify  $s\_rigid$  ( $K = \frac{d(d+1)}{2} + 1$ ),  $over-s\_rigid$  ( $K = \frac{d(d+1)}{2}$ ),  $es\_rigid$  ( $K = DOR + 1$ ) or  $over-es\_rigid$  ( $K = \overline{DOR}$ ) subGCSPs.

## 4.2 Function Distribute

Function `Distribute` [Hoffmann *et al.*, 1997] implements the principle presented above. We present our version of this function and explain why and how it differs from Hoffmann *et al.*'s one.

As already said, applying an overflow  $K$  corresponds, from the geometric point of view, to removing  $K$  displacements from the objects linked to this constraint. But nothing ensures that the subGCSP linked to a single constraint allows  $K$  independent displacements: removing  $K$  DOFs from a subGCSP  $S'$  with  $\text{DOR}(S') < K$  is *geometrically incorrect*<sup>2</sup>.

For instance, consider a subGCSP composed of 2 points linked by a point-point distance in 3D. This GCSP allows only 5 of the 6 independent displacements (3 rotations + 3 translations) of the 3D space since they lack the rotation around the line going through them. Therefore, removing 6 displacements from a couple of points is geometrically incorrect. However, Hoffmann *et al.*'s function `Distribute` does so when the distance constraint binding the two points in 3D is overloaded with  $K = 6$ .

In order to distribute the flow in a geometrically correct way, we propose to introduce a fictive constraint  $R$ , having  $\text{DOF}(R) = K$ . This constraint can be linked only to subset of objects  $O'$  allowing  $K$  independent displacements, i.e. inducing a subGCSP  $S'$  having  $\text{DOR}(S') \geq K$ .  $K$  and  $S'$  are two parameters of our function `Distribute`.

Function `Overloaded-Network` returns the object-constraint network corresponding to  $S$  where the fictive constraint  $R$ , set with capacity  $K$ , is linked to the objects of  $S'$ . The maximum flow computation is achieved by a standard

flow algorithm<sup>3</sup> like `FordFulkerson` [Ford and Fulkerson, 1962]. This function returns the set  $V$  of objects reachable from the virtual constraint  $R$  in the residual graph if the maximum flow cannot distribute the whole overload, an empty set  $V$  otherwise. Function `Object-Induced-subGCSP` returns the subGCSP  $S''$  induced by  $V$ .  $S''$  verifies  $\text{DOF}(S'') < K$  or  $S''$  is empty.

**Distribute** ( $S$ : GCSP;  $K$ : integer;  $S'$ : GCSP) returns  $S''$ : GCSP)

**Require:**  $K > 0$ ,  $S' \subset S$  verifies  $\text{DOR}(S') \geq K$

**Ensure:**  $S'' \subset S$  verifies  $\text{DOF}(S'') < K$ , or  $S''$  is empty

$G \leftarrow \text{Overloaded-Network}(S, K, S')$

$V \leftarrow \text{FordFulkerson}(G)$

$S'' \leftarrow \text{Object-Induced-subGCSP}(V, S)$

**Return**  $S''$

The two differences between our version of the `Distribute` function and Hoffmann *et al.*'s version have already been mentioned: the use of a dedicated constraint for overflow distribution, which allows to distribute the overflow to any subset of objects; and the adaptation of the overflow to the set of objects on which it is applied, which renders overflow application geometrically correct.

**Example:** The call to `Distribute`( $S, 3, dAB$ ) (Hoffmann *et al.*'s version) for the GCSP in Fig. 1-a is presented in Fig. 2-a. Since the overflow cannot be fully distributed, the subGCSP  $AB$  is returned. This is correct from the flow point of view since  $\text{DOF}(AB) = 2$  is less than  $K = 3$ . However, from the geometric point of view, it is incorrect to interpret this result as an over-rigidity in the GCSP.

For the same subGCSP, our `Distribute` function is called differently: since  $\text{DOR}(AB) = 2$ , the overflow can be at most 2. Fig. 2-b presents the call to `Distribute`( $S, 2, AB$ ). The overflow can be distributed fully: no subGCSP is returned. Further similar calls would allow to conclude that this GCSP is not over-rigid.

**Time Complexity:** The complexity of our function `Distribute` is dominated by that of function `FordFulkerson`; it is  $O(n^2(n + m))$  where  $n$  is the number of nodes and  $m$  the number of arcs. It is strictly equivalent to the complexity of Hoffmann *et al.*'s version.

Note that if several calls to this function are performed, it could be modified to compute maximum flow in an incremental way, yielding a better complexity.

## 4.3 Algorithms For Rigidity Detection

Based on the `Distribute` function, several algorithms can be designed to tackle the major problems related to the rigidity concept. [Hoffmann *et al.*, 1997] have proposed the `Dense` and `Minimal_Dense` algorithms to identify a well

<sup>2</sup>Remember that the DOR represents the number of independent displacements admitted by a subGCSP.

<sup>3</sup>In [Hoffmann *et al.*, 1997], function `Distribute` is specifically designed for binary constraints and flow distribution is merged with network construction and subGCSP identification.

or over-rigid subGCSP and minimize it (using a classical linear minimization process). These algorithms can be reproduced using our function `Distribute`. This allows us to tackle the same problems in a geometrically correct manner and with a better characterization of rigidity: the extended structural rigidity. We will show on algorithm `Dense` how to introduce our `Distribute` function in existing algorithms.

### Algorithm `Dense` Versus Algorithm `Over-Rigid`

Schematically, algorithm `Dense` operates by calling the `Distribute` function for each constraint in the GCSP until a non-empty subGCSP is returned. The overload is induced by the dimension of the considered geometric space: it represents the maximum number of independent displacements in this space (3 in 2D, 6 in 3D). `Dense` is supposed to return only over-rigid subGCSPs since returned GCSPs do not admit all the displacements allowed by the considered geometric space.

In fact, `Dense` is incorrect since it may remove more DOFs than the number of displacements admitted by a subGCSP. For instance, two parallel lines admit only 2 displacements in 2D; hence, removing 3 displacements from two parallel lines is geometrically incorrect in 2D.

To obtain a geometrically correct version of algorithm `Dense`, we propose to use the `es_rigidity` instead of the `s_rigidity`, i.e. the DOR is the overload; also, we use our `Distribute` function instead of Hoffmann *et al.*'s one.

This results in a new algorithm, called `Over-Rigid` which performs one call to function `Distribute(S, DOR(S'), S')` for each  $S' \subset S$  to identify over-`es_rigid` subGCSPs. Indeed, if the call for a given  $S'$  returns a non-empty subGCSP  $S''$ , then it verifies  $\text{DOF}(S'') < \text{DOR}(S')$ , a sufficient condition for being over-`es_rigid` (see Def. 4). Unfortunately, the number of subGCSPs is exponential, which would lead to an exponential number of calls to function `Distribute`. However, we will show that it is sufficient and correct to apply this function only to the *DOR-minimal* subGCSPs (see Def. 6 below), which gives the following algorithm:

**Over-Rigid** ( $S$ : GCSP) returns  $S''$ : GCSP

**Ensure:**  $S'' \subset S$  is over-`es_rigid` or empty

$S'' \leftarrow \text{EmptyGCSP}$

$M \leftarrow \text{DOR-Minimals}(S)$  {builds the set  $M$  of all *DOR-minimal* subGCSPs in  $S$ }

**while**  $S'' = \text{EmptyGCSP}$  and  $M \neq \emptyset$  **do**

$S' \leftarrow \text{Pop}(M)$

$S'' \leftarrow \text{Distribute}(S, \text{DOR}(S'), S')$

**end while**

**Return**  $S''$

### Definition 6 *DOR-minimal* subGCSP

A subGCSP  $S'$  in a GCSP  $S$  is **DOR-minimal** if it contains no proper subGCSP with the same DOR, i.e.  $\forall S'' \subset S', \text{DOR}(S'') < \text{DOR}(S')$ .

### Example of `Over-Rigid` application

Consider again the GCSP  $S$  presented in figure 1-b. Let  $M = \{BC, BDF, CEF, \dots\}$  be the set of *DOR-minimal*

subGCSPs generated by `DOR-Minimals(S)`. Algorithm `Over-Rigid` then proceeds as follows:

1. First turn,  $S' = BC$  and  $K = \text{DOR}(BC) = 5$ . Fig. 2(c) represents the call to `Distribute(S, 5, BC)`. All the arcs outgoing from the source being saturated, no over-`es_rigid` subGCSP is identified.
2. At this turn,  $S' = CEF$  and  $K = \text{DOR}(CEF) = 6$ . The call to `Distribute(S, 6, CEF)` is represented in figure 2(d). This turn, the arc  $S \rightarrow R$  is unsaturated. Since the set of object-nodes traversed during the last search for an augmenting path is  $\{A, C, D, E, F\}$ , the identified subGCSP is  $ACDEF$  which is over-`es_rigid`.

On the same example, algorithm `Dense` would identify each segment (2 points + 1 distance) and each point on the line  $A$  as an over-rigid subGCSP, which is false.

### Properties of algorithm `Over-Rigid`

To prove the correctness and completeness of algorithm `Over-Rigid`, we need the following lemmas which establish properties on the DOR concept and on flow distribution:

**Lemma 1** Let  $S$  be a GCSP and  $S' \subset S'' \subset S$  two subGCSPs. Then  $\text{DOR}(S') \leq \text{DOR}(S'')$ .

*Proof:* Each unit of DOR in a GCSP represents an independent displacement (translation or rotation). Adding a new object  $o$  with some constraints to a subGCSP  $S'$  cannot remove the independent displacements already granted to  $S'$  since constraints are independent from the global reference system. Thus,  $\text{DOR}(S') \leq \text{DOR}(S' \cup \{o\})$ .  $\square$

**Lemma 2** Let  $S'' \subset S' \subset S$  be two nested subGCSPs in a GCSP  $S$ . If the call to `Distribute(S, K, S')` returns a non-empty subGCSP  $S_0$ , then a call to `Distribute(S, K, S'')` returns a non-empty subGCSP  $S_1$ .

*Proof:* Let  $G_{S'}$  be the object-constraint network overloaded for  $S'$  and  $G_{S''}$  the network overloaded for  $S''$ . The only difference between these two networks resides in the fact that there are more arcs of the type  $R \rightarrow o$  in  $G_{S'}$ . Thus, it is more difficult to distribute an overflow in  $G_{S''}$  than in  $G_{S'}$ : if a maximum flow in  $G_{S'}$  cannot saturate all the arcs outgoing from the source, a maximum flow in  $G_{S''}$  cannot either.  $\square$

We will now prove the completeness, correctness and discuss the time complexity of our algorithm.

### Correctness of `Over-Rigid`:

Let  $S''$  be a *non-empty* subGCSP resulting from `Over-Rigid(S)`. Assuming it has been returned by the call to `Distribute(S, DOR(S'), S')`,  $S''$  must verify  $\text{DOF}(S'') < \text{DOR}(S')$  since  $S''$  is not empty. Moreover, by design of function `Distribute`,  $S' \subset S''$ . Since Lemma 1 implies that  $\text{DOR}(S') \leq \text{DOR}(S'')$ , we can ensure that if  $S''$  is not empty, then  $\text{DOF}(S'') < \text{DOR}(S'')$ , i.e.,  $S''$  is over-`es_rigid`.  $\square$

### Completeness of Over-Rigid:

Algorithm `Over-Rigid` applies an overload only for each element in the set  $M$  of all *DOR-minimal* subGCSPs (computed by `DOR-Minimals(S)`). Lemma 2 ensures that it is sufficient to distribute an overload for each DOR-minimal subGCSP, since any non DOR-minimal subGCSP contains, by definition, DOR-minimal subGCSPs.  $\square$

### Time Complexity of Over-Rigid:

The complexity of algorithm `Over-Rigid` depends on the number of DOR-minimal subGCSPs. We have proven by enumeration that the number of objects in a DOR-minimal subGCSP is 2 in 2D and 3 in 3D for GCSPs including points, lines and planes constrained by distances, angles, incidences and parallelisms. Thus, for GCSPs in this class, the number of DOR-minimal subGCSPs is  $O(n^d)$  where  $n$  is the number of objects and  $d$  the dimension of the geometric space (2 or 3).

Let us call  $C_1$  the complexity of function `DOR-Minimals`, and  $C_2$  that of function `Distribute`, discussed in the previous section. Then, the worst-case complexity of algorithm `Over-Rigid` is  $O(C_1 + n^d * C_2)$ .

$C_1$  is generally the complexity of geometric theorem proving, i.e., it is exponential. However, in some practical classes of GCSPs, like mechanisms or bar frameworks, it is polynomial or even constant. Moreover, heuristic DOR computation can be used when geometric theorem proving is required but not affordable. In these cases,  $C_1$  can be neglected in comparison to  $C_2$ . We end up with  $O(n^{d+2} * (n + m))$ . In comparison, the complexity of algorithm `Dense` is  $O(m * n^2 * (n + m))$ . Thus, the overhead to obtain a geometrically correct algorithm is approximately linear in 2D, and quadratic in 3D.

## 4.4 Other algorithms

Function `Distribute` can be used in a similar way to tackle the major problems related to rigidity: identifying rigid subGCSPs (just by changing the value of the overflow in algorithm `Over-Rigid`), deciding if a GCSP is rigid (by one call to `Over-Rigid` and a DOF count), finding a minimal well- or over-rigid subGCSP (by classical minimization step, as in `Minimal_Dense`). For all these problems, using our new algorithms and the `es_rigidity` instead of the `s_rigidity` leads to geometrically correct and more reliable algorithms.

## 4.5 Conclusion

The new design of function `Distribute` allows a more general use of this function: the flow distribution is now performed in a geometrically sound manner and allows for checking a better characterization of rigidity. The DOR-minimal concept and its properties have appeared to be the key to obtain a new family of polynomial algorithms for the major problems related to rigidity.

These new algorithms can handle GCSPs in 2D and 3D correctly with respect to the `es_rigidity`. They can handle GCSPs with constraints like parallelism or incidence, which was not possible with Hoffmann *et al.*'s algorithms. Indeed, these constraints introduce geometric properties in GCSPs, leading

to subGCSPs with a DOR different from the number of independent displacements in  $d$ -space. This kind of constraints are ubiquitous in practical applications (architecture, CAD, mechanisms) and our new algorithms open a way for reliable industrial use in these domains.

## References

- [Bouma *et al.*, 1995] W. Bouma, I. Fudos, C.M. Hoffmann, J. Cai, and R. Paige. Geometric constraint solver. *Computer Aided Design*, 27(6):487–501, 1995.
- [Dufourd *et al.*, 1998] J.-F. Dufourd, P. Mathis, and P. Schreck. Geometric construction by assembling solved subfigures. *Artificial Intelligence*, 99(1):73–119, 1998.
- [Ford and Fulkerson, 1962] L.R. Ford and D.R. Fulkerson. *Flows in Networks*. Princeton University Press, 1962.
- [Hoffmann *et al.*, 1997] C.M. Hoffmann, A. Lomonosov, and M. Sitharam. Finding solvable subsets of constraint graphs. In *Principles and Practice of Constraint Programming CP'97*, pages 463–477, 1997.
- [Hoffmann *et al.*, 2000] C.M. Hoffmann, A. Lomonosov, and M. Sitharam. Decomposition plans for geometric constraint systems. In *Proc. J. Symbolic Computation 2000*, 2000.
- [Jermann *et al.*, 2000] C. Jermann, G. Trombettoni, B. Neveu, and M. Rueher. A constraint programming approach for solving rigid geometric systems. In *Principles and Practice of Constraint Programming, CP 2000*, volume 1894 of *LNCS*, pages 233–248, 2000.
- [Jermann *et al.*, 2002] C. Jermann, B. Neveu, and G. Trombettoni. On the structural rigidity for gcsp. In *Proceedings of the 4<sup>th</sup> International Workshop on Automated Deduction in Geometry*, 2002.
- [Jermann, 2002] C. Jermann. *Résolution de contraintes géométriques par rigidification récursive et propagation d'intervalles*. Thèse de doctorat, Université de Nice - Sophia Antipolis, 2002.
- [Kramer, 1992] G. Kramer. *Solving Geometric Constraint Systems*. MIT Press, 1992.
- [Laman, 1970] G. Laman. On graphs and rigidity of plane skeletal structures. *J. Eng. Math.*, 4:331–340, 1970.
- [Lamure and Michelucci, 1998] H. Lamure and D. Michelucci. Qualitative study of geometric constraints. In B. Bruderlin and D. Roller, editors, *Geometric Constraint Solving and Applications*, pages 234–258. Springer, 1998.
- [Sitharam, 2000] M. Sitharam. Personal communication on the minimal dense algorithm. University of Florida at Gainesville, 2000.
- [Whiteley, 1987] W. Whiteley. Applications of the geometry of rigid structures. In Henry Crapo, editor, *Computer Aided Geometric Reasoning*, pages 219–254. INRIA, 1987.