

Explicit Linear Kernels for Packing Problems[★]

Valentin Garnero¹, Christophe Paul¹, Ignasi Sau¹, and Dimitrios M. Thilikos^{1,2}

¹ AIGCo project team, CNRS, LIRMM, France.

² Department of Mathematics, University of Athens, Athens, Greece.

Abstract. In the last years several algorithmic meta-theorems have appeared (Bodlaender *et al.* [FOCS 2009], Fomin *et al.* [SODA 2010], Kim *et al.* [ICALP 2013]) guaranteeing the *existence* of linear kernels on sparse graphs for problems satisfying some generic conditions. The drawback of such general results is that it is usually not clear how to derive from them *constructive* kernels with reasonably low *explicit* constants. To fill this gap, we recently presented [STACS 2014] a framework to obtain explicit linear kernels for some families of problems whose solutions can be certified by a subset of *vertices*. In this article we enhance our framework to deal with *packing* problems, that is, problems whose solutions can be certified by collections of *subgraphs* of the input graph satisfying certain properties. \mathcal{F} -PACKING is a typical example: for a family of connected graphs \mathcal{F} that we assume to contain at least one planar graph, the task is to decide whether a graph G contains k vertex-disjoint subgraphs such that each of them contains a graph in \mathcal{F} as a minor. We provide explicit linear kernels on sparse graphs for the following two orthogonal generalizations of \mathcal{F} -PACKING: for an integer $\ell \geq 1$, one aims at finding either minor-models that are pairwise at distance at least ℓ in G (ℓ - \mathcal{F} -PACKING), or such that each vertex in G belongs to at most ℓ minors-models (\mathcal{F} -PACKING WITH ℓ -MEMBERSHIP). Finally, we also provide linear kernels for the versions of these problems where one wants to pack *subgraphs* instead of minors.

Keywords: Parameterized complexity; linear kernels; packing problems; dynamic programming; protrusion replacement; graph minors.

1 Introduction

Motivation. A fundamental notion in parameterized complexity (see [13,17,31] for an introduction to the field) is that of *kernelization*, which asks for the existence of polynomial-time preprocessing algorithms producing equivalent instances whose size depends exclusively on the parameter k . Finding kernels of size polynomial or linear in k (called *linear kernels*) is one of the major goals of this area. A pioneering work in this direction was the linear kernel of Alber *et al.* [2] for DOMINATING SET on planar graphs, generalized by Guo and Niedermeier [25] to a family of problems on planar graphs. Several algorithmic meta-theorems on kernelization have appeared in the last years, starting with the result of Bodlaender *et al.* [5] on graphs of bounded genus. It was followed-up by similar results on larger sparse graph classes, such as graphs excluding a minor [21] or a topological minor [27].

The above results guarantee the *existence* of linear kernels on sparse graph classes for problems satisfying some generic conditions, but it is hard to derive from them *constructive* kernels with *explicit* constants. We recently made in [23] an significant step toward a fully constructive meta-kernelization theory on sparse graphs with explicit constants. In a nutshell, the main idea is to substitute the algorithmic power of CMSO logic that was used in [5,21,27] with that of dynamic programming (DP for short) on graphs of bounded decomposability (i.e., bounded treewidth). We refer the reader to the introduction of [23] for more details. Our approach provides a DP framework able to construct linear kernels for families of problems on sparse graphs whose solutions can be certified by a subset of *vertices* of the input graph, such as r -DOMINATING SET or PLANAR- \mathcal{F} -DELETION.

[★] Emails: {garnero, paul, sau}@lirmm.fr, sedthilk@thilikos.info.

Our contribution. In this article we make one more step in the direction of a fully constructive meta-kernelization theory on sparse graphs, by enhancing the existing framework [23] in order to deal with *packing* problems. These are problems whose solutions can be certified by collections of *subgraphs* of the input graph satisfying certain properties. We call these problems *packing-certifiable*, as opposed to *vertex-certifiable* ones¹.

As an illustrative example, for a family of connected graphs \mathcal{F} containing at least one planar graph, we provide a linear kernel on sparse graphs for the \mathcal{F} -PACKING problem²: decide whether a graph G contains at least k vertex-disjoint subgraphs such that each of them contains a graph in \mathcal{F} as a minor. We provide linear kernels as well for the following two *orthogonal generalizations* of \mathcal{F} -PACKING: for an integer $\ell \geq 1$, one aims at finding either minor-models that are pairwise at distance at least ℓ in G (ℓ - \mathcal{F} -PACKING), or such that each vertex in G belongs to at most ℓ minors-models (\mathcal{F} -PACKING WITH ℓ -MEMBERSHIP). While only the *existence* of linear kernels for \mathcal{F} -PACKING was known [5], to the best of our knowledge no kernels were known for ℓ - \mathcal{F} -PACKING and \mathcal{F} -PACKING WITH ℓ -MEMBERSHIP, except for ℓ - \mathcal{F} -PACKING when \mathcal{F} consists only of a triangle and the maximum degree is also considered as a parameter [3]. We would like to note that the kernels for \mathcal{F} -PACKING and for \mathcal{F} -PACKING WITH ℓ -MEMBERSHIP apply to minor-free graphs, while those for ℓ - \mathcal{F} -PACKING for $\ell \geq 2$ apply to the smaller class of apex-minor-free graphs.

We also provide linear kernels for the versions of the above problems where one wants to pack *subgraphs* instead of minors (as one could expect, the kernels for subgraphs are considerably simpler than those for minors). We call the respective problems ℓ - \mathcal{F} -SUBGRAPH-PACKING and \mathcal{F} -SUBGRAPH-PACKING WITH ℓ -MEMBERSHIP. While the first problem can be seen as a broad generalization of ℓ -SCATTERED SET (see for instance [5, 23]), the second one was recently defined by Fernau *et al.* [16], motivated by the problem of discovering overlapping communities (see also [34, 35] for related problems about detecting overlapping communities): the parameter ℓ bounds the number of communities that a member of a network can belong to. More precisely, the goal is to find in a graph G at least k subgraphs isomorphic to a member of \mathcal{F} such that every vertex in $V(G)$ belongs to at most ℓ subgraphs. This type of overlap was also studied by Fellows *et al.* [15] in the context of graph editing. Fernau *et al.* [16] proved, in particular, that the \mathcal{F} -SUBGRAPH-PACKING WITH ℓ -MEMBERSHIP problem is NP-hard for all values of $\ell \geq 1$ when $\mathcal{F} = \{F\}$ and F is an arbitrary connected graph with at least three vertices, but polynomial-time solvable for smaller graphs. Note that \mathcal{F} -SUBGRAPH-PACKING WITH ℓ -MEMBERSHIP generalizes the \mathcal{F} -SUBGRAPH-PACKING problem, which consists in finding in a graph G at least k vertex-disjoint subgraphs isomorphic to a member of \mathcal{F} . The smallest kernel for the \mathcal{F} -SUBGRAPH-PACKING problem [30] has size $O(k^{r-1})$, where $\mathcal{F} = \{F\}$ and F is an arbitrary graph on r vertices. A list of references of kernels for particular cases of the family \mathcal{F} can be found in [16]. Concerning the kernelization of \mathcal{F} -SUBGRAPH-PACKING WITH ℓ -MEMBERSHIP, Fernau *et al.* [16] provided a kernel on general graphs with $O((r+1)^r k^r)$ vertices, where r is the maximum number of vertices of a graph in \mathcal{F} . In this article we improve this result on graphs excluding a fixed graph as a minor, by providing a linear kernel for \mathcal{F} -SUBGRAPH-PACKING WITH ℓ -MEMBERSHIP when \mathcal{F} is any family of (not necessarily planar) connected graphs.

Our techniques. It appears that packing-certifiable problems are intrinsically more involved than vertex-certifiable ones. This fact is well-known when speaking about FPT-algorithms on graphs of bounded treewidth [10, 29], but we need to be more precise with

¹ For instance, deciding whether a graph G contains at least k vertex-disjoint cycles is a typical packing-certifiable problem. This problem, called CYCLE PACKING, is FPT as it is minor-closed, but it is unlikely to admit polynomial kernels on general graphs [6].

² We would like to clarify here that in our original submission of [23] we claimed, among other results, a linear kernel for \mathcal{F} -PACKING on sparse graphs. Unfortunately, while preparing the camera-ready version, we realized that there was a bug in one of the proofs and we had to remove this result from the paper. It turned out that for fixing that bug, several new ideas and a generalization of the original framework seemed to be necessary; this was the starting point of the results presented in the current paper.

what we mean by being “more involved” in our setting of obtaining kernels via DP on a tree decomposition of the input graph. Loosely speaking, the framework that we presented in [23] and that we need to redefine and extend here, can be summarized as follows. First of all, we propose a general definition of a problem *encoding* for the tables of DP when solving parameterized problems on graphs of bounded treewidth. Under this setting, we provide three general conditions guaranteeing that such an encoding can yield a so-called *protrusion replacer*, which in short is a procedure that replaces large “protrusions” (i.e., subgraphs with small treewidth and small boundary) with “equivalent” subgraphs of constant size. Let us be more concrete on these three conditions that such an encoding \mathcal{E} needs to satisfy in order to obtain an explicit linear kernel for a parameterized problem Π .

The first natural condition is that on a graph G without boundary, the optimal size of the objects satisfying the constraints imposed by \mathcal{E} coincides with the optimal size of solutions of Π in G ; in that case we say that \mathcal{E} is a Π -*encoder*. On the other hand, we need that when performing DP using the encoding \mathcal{E} , we can use tables such that the maximum difference among all the values that need to be stored is bounded by a function g of the treewidth; in that case we say that \mathcal{E} is g -*confined*. Finally, the third condition requires that \mathcal{E} is “suitable” for performing DP, in the sense that the tables at a given node of a tree decomposition can be computed using only the information stored in the tables of its children (as it is the case of practically all natural DP algorithms); in that case we say that \mathcal{E} is *DP-friendly*. These two latter properties exhibit some fundamental differences when dealing with vertex-certifiable or packing-certifiable problems.

Indeed, as discussed in more detail in Section 3, with an encoding \mathcal{E} we associate a function $f^{\mathcal{E}}$ that corresponds, roughly speaking, to the maximum size of a partial solution that satisfies the constraints defined by \mathcal{E} . In order for an encoder to be g -confined for some function $g(t)$ of the treewidth t , for some vertex-certifiable problems such as r -SCATTERED SET (see [23]) we need to “force” the confinement artificially, in the sense that we directly discard the entries in the tables whose associated values differ by more than $g(t)$ from the maximum (or minimum) ones. Fortunately, we can prove that an encoder with this modified function is still DP-friendly. However, this is not the case for packing-certifiable problems such as \mathcal{F} -PACKING. Intuitively, the difference lies on the fact that in a packing-certifiable problem, a solution of size k can contain arbitrarily many vertices³ and so it can as well contain arbitrarily many vertices from any subgraph corresponding to a rooted subtree of a tree decomposition of the input graph G . This possibility prevents us from being able to prove that an encoder is DP-friendly will still being confined, as in order to fill in the entries of the tables at a given node, one may need to retrieve information from the tables of other nodes different from its children. To circumvent this problem, we introduce another criterion to discard the entries in the tables of an encoder: we recursively discard the entries of the tables whose associated partial solutions *induce* partial solutions at some lower node of the rooted tree decomposition that need to be discarded. That is, if an entry of the table needs to be discarded at some node of a tree-decomposition, we *propagate* this information to all the other nodes.

Organization of the paper. For the reader not familiar with the background used in previous work on this topic [5, 21, 23, 27], some preliminaries can be found in Section 2. In Section 3 we introduce the basic definitions of our framework and present an explicit protrusion replacer for packing-certifiable problems. The applications to the different problems can be found in Section 4 and Section 5 concludes the article. Due to space limitations, the proofs of the results marked with ‘[\star]’ have been moved to the appendix.

2 Preliminaries

Graphs. In our article graphs are undirected, simple, and without loops. We use standard graph-theoretic notation; see for instance [12]. We denote by $d_G(v, w)$ the distance in G

³ For instance, if one wants to find k disjoint cycles in an n -vertex graph with girth $\Omega(\log n)$.

between two vertices v and w and by $d_G(W_1, W_2) = \min\{d_G(w_1, w_2) : w_1 \in W_1, w_2 \in W_2\}$ the distance between two sets of vertices W_1 and W_2 of G .

Definition 1. A parameterized graph problem Π is called *packing-certifiable* if there exists a language L^Π (called *certifying language* for Π) defined on pairs (G, \mathcal{S}) , where G is a graph and \mathcal{S} is a collection of subgraphs of G , such that (G, k) is a YES-instance of Π if and only if there exists a collection \mathcal{S} of subgraphs of G with $|\mathcal{S}| \geq k$ such that $(G, \mathcal{S}) \in L^\Pi$.

For a class of graphs \mathcal{G} , we denote by $\Pi_{\mathcal{G}}$ the problem Π where the instances are restricted to belong to \mathcal{G} . With a packing-certifiable problem we can associate in a natural way an optimization function as follows.

Definition 2. Given a packing-certifiable parameterized problem Π , the maximization function $f^\Pi : \Gamma^* \rightarrow \mathbb{N} \cup \{-\infty\}$ is defined as

$$f^\Pi(G) = \begin{cases} \max\{|\mathcal{S}| : (G, \mathcal{S}) \in L^\Pi\}, & \text{if there exists such an } \mathcal{S} \text{ and} \\ -\infty & \text{otherwise.} \end{cases} \quad (1)$$

Boundaried graphs. Graphs with a distinguished set of labeled vertices are useful for decomposing and gluing graphs.

Definition 3. A boundaried graph is a graph G with a set $B \subseteq V(G)$ of distinguished vertices and an injective labeling $\lambda_G : B \rightarrow \mathbb{N}$. The set B is called the *boundary* of G and it is denoted by $\partial(G)$. The set of labels is denoted by $\Lambda(G) = \{\lambda_G(v) : v \in \partial(G)\}$. We say that a boundaried graph is a t -boundaried graph if $\Lambda(G) \subseteq \{1, \dots, t\}$.

Definition 4. Let G_1 and G_2 be two boundaried graphs. We denote by $G_1 \oplus G_2$ the graph obtained from G by taking the disjoint union of G_1 and G_2 and identifying vertices with the same label of the boundaries of G_1 and G_2 . In $G_1 \oplus G_2$ there is an edge between two labeled vertices if there is an edge between them in G_1 or in G_2 .

We are interested in reducing the size of instances of a parameterized problem. To this aim, we want to replace some boundaried graph with some equivalent and smaller one. Given $G = G_1 \oplus G_2$ and G'_2 , we say that $G' = G_1 \oplus G'_2$ is the graph obtained from G by replacing G_2 with G'_2 .

Canonical equivalence. A typical kernelization algorithm is based on the application of a series of reduction rules. To prove that these rules are *valid* one must show that the initial and the reduced instances are equivalent. In our case, the reduction rules will consist of protrusion replacements and the validity of a replacement can be proved thanks to the notion of canonical equivalence, introduced by Bodlaender *et al.* [5].

Definition 5. Let Π be a parameterized problem and let $t \in \mathbb{N}$. Given $G_1, G_2 \in \mathcal{B}_t$, we say that $G_1 \equiv_\Pi G_2$ if $\Lambda(G_1) = \Lambda(G_2)$ and there exists a transposition constant $\Delta_{\Pi, t}(G_1, G_2) \in \mathbb{Z}$ such that for every $H \in \mathcal{B}_t$ and every $k \in \mathbb{Z}$, it holds that $(G_1 \oplus H, k) \in \Pi$ if and only if $(G_2 \oplus H, k + \Delta_{\Pi, t}(G_1, G_2)) \in \Pi$.

Treewidth. Intuitively, the treewidth of a graph is a structural parameter capturing how much it resembles topology to a tree. Its algorithmic importance is certified by the fact that many problems can be solved efficiently via DP on graphs of bounded treewidth [9].

Definition 6. A tree decomposition of a graph G is a couple $(T, \mathcal{X} = \{B_x : x \in V(T)\})$, where T is a tree and such that:

- $\bigcup_{x \in V(T)} B_x = V(G)$;
- for every edge $\{u, v\} \in E(G)$ there exists $x \in V(T)$ such that $u, v \in B_x$; and
- for every vertex $u \in V(G)$ the set of nodes $\{x \in V(T) : u \in B_x\}$ induce a subtree of T .

The vertices of T are referred to as nodes and the sets B_x are called bags.

A rooted tree decomposition (T, \mathcal{X}, r) is a tree decomposition with a distinguished node r selected as the root. A nice tree decomposition (T, \mathcal{X}, r) (see [28]) is a rooted tree decomposition where T is binary and for each node x with two children y, z it holds $B_x = B_y = B_z$ and for each node x with one child y it holds $B_x = B_y \cup \{u\}$ or $B_x = B_y \setminus \{u\}$ for some $u \in V(G)$. The width of a tree decomposition is the size of a largest bag minus one. The treewidth of a graph, denoted by $\text{tw}(G)$, is the smallest width of a tree decomposition of G . A treewidth-modulator of a graph G is a set $X \subseteq V(G)$ such that $\text{tw}(G - X) \leq t$, for some fixed constant t .

Given a bag B (resp. a node x) of a rooted tree decomposition T , we denote by G_B (resp. G_x), the subgraph induced by the vertices appearing in the subtree of T rooted at the node corresponding to B (resp. the node x). We denote by \mathcal{B}_t the set of all t -boundaried graphs and by \mathcal{F}_t the set of all t -boundaried graphs that have a rooted tree decomposition of width $t - 1$ with all boundary vertices contained in the root-bag. Obviously $\mathcal{F}_t \subseteq \mathcal{B}_t$. (Note that graphs can be viewed as 0-boundaried graphs, hence we use a same alphabet Γ for describing graphs and boundaried graphs.)

Protrusions. Loosely speaking, a protrusion of a graph is a subgraph with small treewidth and small boundary. In many applications, it is interesting to find a decomposition of a graph into protrusions in order to be able to apply DP on each protrusion.

Definition 7. Let t, α be positive integers. A t -protrusion Y of a graph G is an induced subgraph of G with $\partial(Y) \leq t$ and $\text{tw}(Y) \leq t - 1$, where $\partial(Y)$ is the set of vertices of Y having neighbors in $V(G) \setminus V(Y)$. An (α, t) -protrusion decomposition of a graph G is a partition $\mathcal{P} = Y_0 \uplus Y_1 \uplus \dots \uplus Y_\ell$ of $V(G)$ such that:

- (i) for every $1 \leq i \leq \ell$, $N(Y_i) \subseteq Y_0$;
- (ii) $\max\{\ell, |Y_0|\} \leq \alpha$; and
- (iii) for every $1 \leq i \leq \ell$, $Y_i \cup N_{Y_0}(Y_i)$ is a t -protrusion of G .

When (G, k) is the input of a parameterized problem with parameter k , we say that an (α, t) -protrusion decomposition of G is linear whenever $\alpha = O(k)$.

We say that a rooted tree decomposition of a protrusion G (resp. a boundaried graph G) is *boundaried* if the boundary $\partial(G)$ is contained in the root bag. In the following we always consider boundaried nice tree decompositions of width $t - 1$, which can be computed in polynomial time for fixed t [4, 28].

3 A framework to replace protrusions for packing problems

In this section we restate and in many cases modify the definitions given in [23] in order to deal with packing-certifiable problems; we will point out the differences. Since most of the definitions and proofs are quite similar, we will defer much of the material to the appendices.

Encoders. In the following we extend the definition of an encoder given in [23, Definition 2] so that it is able to deal with packing-certifiable problems. The main difference is that now the function $f^\mathcal{E}$ is incorporated in the definition of an encoder, since as discussed in the introduction we need to consider an additional scenario where the entries of the table are discarded (technically, this is modeled by setting those entries to “ $-\infty$ ”) and for this we will have to deal with the partial solutions particular to each problem. In the applications of the next sections, we will call such functions that propagate the entries to be discarded *relevant*. We also need to add a condition about the *computability* of the function $f^\mathcal{E}$, so that encoders can indeed be used for performing dynamic programming.

Definition 8. An encoder is a triple $\mathcal{E} = (\mathcal{C}^\mathcal{E}, L^\mathcal{E}, f^\mathcal{E})$ where

$\mathcal{C}^\mathcal{E}$ is a function in $2^{\mathbb{N}} \rightarrow 2^{\mathcal{Y}^*}$ that maps a finite subset of integers $I \subseteq \mathbb{N}$ to a set $\mathcal{C}^\mathcal{E}(I)$ of strings over some alphabet \mathcal{Y} . Each string $R \in \mathcal{C}^\mathcal{E}(I)$ is called an encoding. The size of the encoder is the function $s_\mathcal{E}(t) : \mathbb{N} \rightarrow \mathbb{N}$ defined as $s_\mathcal{E}(t) := \max\{|\mathcal{C}^\mathcal{E}(I)| : I \subseteq \{1, \dots, t\}\}$, where $|\mathcal{C}^\mathcal{E}(I)|$ denotes the number of encodings in $\mathcal{C}^\mathcal{E}(I)$;

$L^\mathcal{E}$ is a computable language which accepts triples $(G, \mathcal{S}, R) \in \Gamma^* \times \Sigma^* \times \mathcal{Y}^*$, where G is a boundaried graph, \mathcal{S} is a collection of subgraphs of G and $R \in \mathcal{C}^\mathcal{E}(\Lambda(G))$ is an encoding. If $(G, \mathcal{S}, R) \in L^\mathcal{E}$, we say that \mathcal{S} satisfies the encoding R in G ; and

$f^\mathcal{E}$ is a function in $\Gamma^* \times \mathcal{Y}^* \rightarrow \mathbb{N} \cup \{-\infty\}$ that maps a boundaried graph G and an encoding $R \in \mathcal{C}^\mathcal{E}(\Lambda(G))$ to an integer or to $-\infty$ and that can be computed in time $h(|\Lambda(G)|) \cdot n^{O(1)}$, where h is an arbitrary computable function depending only on the size of the encoder and n is the number of vertices of G .

As it will become clear with the applications described in the next sections, an encoder is a formalization of the tables used by an algorithm that solves a packing-certifiable problem Π by doing DP over a tree decomposition of the input graph. The encodings in $\mathcal{C}^\mathcal{E}(I)$ correspond to the entries of the DP-tables of graphs with boundary labeled by the set of integers I . The language $L^\mathcal{E}$ identifies certificates which are partial solutions satisfying the boundary conditions imposed by an encoding.

Each fixed encoding R defines an associated problem, which we can denote by Π_R , that can be seen as an “enriched” version of the initial problem Π , where some additional constraints have been imposed by R . If we fix a boundaried graph G , the function $f^\mathcal{E}(G, \cdot) : R \mapsto f^\mathcal{E}(G, R)$ fills in the DP-tables of G and if we fix R , the function $f^\mathcal{E}(\cdot, R) : G \mapsto f^\mathcal{E}(G, R)$ can be viewed as the optimization function of the problem Π_R associated with R . The size of the encoder $s_\mathcal{E}(t)$ can be viewed as an upper bound on the number of encodings definable for a t -boundaried graph, i.e., the maximum number of entries to be filled in the DP-tables.

The following definition differs from [23, Definition 3] as now the function $f^\mathcal{E}$ is incorporated in the definition of an encoder \mathcal{E} .

Definition 9. Let Π be a packing-certifiable problem. An encoder \mathcal{E} is a Π -encoder \mathcal{E} if $\mathcal{C}^\mathcal{E}(\emptyset)$ is a singleton, denoted by $\{R_\emptyset\}$, such that for any 0-boundaried graph G , $f^\mathcal{E}(G, R_\emptyset) = f^\Pi(G)$,

The following definition allows to control the number of possible distinct values assigned to encodings and plays a similar role to FII or *monotonicity* in previous work [5, 21, 27].

Definition 10. An encoder \mathcal{E} is g -confined if there exists a function $g : \mathbb{N} \rightarrow \mathbb{N}$ such that for any t -boundaried graph G with $\Lambda(G) = I$ it holds that either $\{R \in \mathcal{C}^\mathcal{E}(I) : f^\mathcal{E}(G, R) \neq -\infty\} = \emptyset$ or

$$\max_R \{f^\mathcal{E}(G, R) \neq -\infty\} - \min_R \{f^\mathcal{E}(G, R) \neq -\infty\} \leq g(t). \quad (2)$$

For an encoder \mathcal{E} and a function g , in the next sections we will denote the relevant functions discussed before by $\tilde{f}_g^\mathcal{E}$ to distinguish them from other functions that we will need.

Equivalence relations and representatives. We now define some equivalence relations on t -boundaried graphs.

Definition 11. Let \mathcal{E} be an encoder, let $G_1, G_2 \in \mathcal{B}_t$ and let \mathcal{G} be a class of graphs.

1. $G_1 \sim_{\mathcal{E}, t}^* G_2$ if $\Lambda(G_1) = \Lambda(G_2) =: I$ and there exists an integer $\Delta_{\mathcal{E}, t}(G_1, G_2)$ (depending on G_1, G_2) such that for any encoding $R \in \mathcal{C}^\mathcal{E}(I)$ we have $f^\mathcal{E}(G_1, R) = f^\mathcal{E}(G_2, R) - \Delta_{\mathcal{E}, t}(G_1, G_2)$.
2. $G_1 \sim_{\mathcal{G}, t} G_2$ if $G_1, G_2 \in \mathcal{G}$ and, for any $H \in \mathcal{B}_t$, $H \oplus G_1 \in \mathcal{G}$ if and only if $H \oplus G_2 \in \mathcal{G}$.
3. $G_1 \sim_{\mathcal{E}, \mathcal{G}, t}^* G_2$ if $G_1 \sim_{\mathcal{E}, t}^* G_2$ and $G_1 \sim_{\mathcal{G}, t} G_2$.

4. If we restrict the graphs G_1, G_2 to be in \mathcal{F}_t , then the corresponding equivalence relations, which are a restriction of $\sim_{\mathcal{E},t}^*$ and $\sim_{\mathcal{E},g,t}^*$, are denoted by $\sim_{\mathcal{E},t}$ and $\sim_{\mathcal{E},g,t}$, respectively.

If for all encodings R , $f^{\mathcal{E}}(G_1, R) = f^{\mathcal{E}}(G_2, R) = -\infty$, then we set $\Delta_{\mathcal{E},t}(G_1, G_2) := 0$ (note that any fixed integer would satisfy the first condition in Definition 11). Following the notation of Bodlaender *et al.* [5], the function $\Delta_{\mathcal{E},t}$ is called the *transposition function* for the equivalence relation $\sim_{\mathcal{E},t}^*$. Note that we can use the restriction of $\Delta_{\mathcal{E},t}$ to couples of graphs in \mathcal{F}_t to define the equivalence relation $\sim_{\mathcal{E},t}$.

In the following we only consider classes of graphs whose membership can be expressed in Monadic Second Order (MSO) logic. Therefore, we know that the number of equivalence classes of $\sim_{\mathcal{G},t}$ is finite [13, 17, 31], say at most $r_{\mathcal{G},t}$, and we can state the following lemma.

Lemma 1. $[\star]$ *Let \mathcal{G} be a class of graphs whose membership is expressible in MSO logic. For any encoder \mathcal{E} , any function $g : \mathbb{N} \rightarrow \mathbb{N}$ and any integer $t \in \mathbb{N}$, if \mathcal{E} is g -confined then the equivalence relation $\sim_{\mathcal{E},g,t}^*$ has at most $r(\mathcal{E}, g, t, \mathcal{G}) := (g(t) + 2)^{s_{\mathcal{E}}(t)} \cdot 2^t \cdot r_{\mathcal{G},t}$ equivalence classes. In particular, the equivalence relation $\sim_{\mathcal{E},g,t}$ has at most $r(\mathcal{E}, g, t, \mathcal{G})$ equivalence classes as well.*

Definition 12. *An equivalence relation $\sim_{\mathcal{E},g,t}^*$ is DP-friendly if, for any graph $G \in \mathcal{B}_t$ with $\partial(G) = A$ and any separator $B \subseteq V(G)$ with $|B| \leq t$, the following holds. Let G_B be a subgraph of G separated by B from the rest of G and such that $A \cap V(G_B) \subseteq B$. Considering G_B as a t -boundaried graph (with boundary B), let $G' \in \mathcal{B}_t$ with $\partial(G') = A$ be the graph obtained from G by replacing the subgraph G_B with some $G'_B \in \mathcal{B}_t$ such that $G_B \sim_{\mathcal{E},g,t}^* G'_B$. Then $G \sim_{\mathcal{E},g,t}^* G'$ and $\Delta_{\mathcal{E},t}(G, G') = \Delta_{\mathcal{E},t}(G_B, G'_B)$.*

The following useful fact states that for proving that $\sim_{\mathcal{E},g,t}^*$ is DP-friendly, it suffices to prove that $G \sim_{\mathcal{E},t}^* G'$ instead of $G \sim_{\mathcal{E},g,t}^* G'$.

Fact 1 $[\star]$ *Let $G \in \mathcal{B}_t$ with a separator B , let $G_B \sim_{\mathcal{E},g,t} G'_B$, and let $G' \in \mathcal{B}_t$ as in Definition 12. If $G \sim_{\mathcal{E},t}^* G'$, then $G \sim_{\mathcal{E},g,t}^* G'$.*

In order to perform a protrusion replacement that does not modify the behavior of the graph with respect to a problem Π , we need the relation $\sim_{\mathcal{E},t}^*$ to be a refinement of the canonical equivalence relation $\equiv_{\Pi,t}$.

Lemma 2. $[\star]$ *Let Π be a packing-certifiable parameterized problem defined on a graph class \mathcal{G} , let \mathcal{E} be an encoder, let $g : \mathbb{N} \rightarrow \mathbb{N}$, and let $G_1, G_2 \in \mathcal{B}_t$. If \mathcal{E} is a g -confined Π -encoder and $\sim_{\mathcal{E},g,t}^*$ is DP-friendly, then the fact that $G_1 \sim_{\mathcal{E},g,t}^* G_2$ implies the following:*

- $G_1 \equiv_{\Pi} G_2$; and
- $\Delta_{\Pi}(G_1, G_2) = \Delta_{\mathcal{E},t}(G_1, G_2)$.

In particular, this holds when $G_1, G_2 \in \mathcal{F}_t$ and $G_1 \sim_{\mathcal{E},g,t} G_2$.

Definition 13. *Given an encoder \mathcal{E} and an equivalence class $\mathfrak{C} \subseteq \mathcal{F}_t$ of $\sim_{\mathcal{E},g,t}$, a graph $G \in \mathfrak{C}$ is a progressive representative of \mathfrak{C} if for any $G' \in \mathfrak{C}$, it holds that $\Delta_{\mathcal{E},t}(G, G') \leq 0$.*

Lemma 3. $[\star]$ *Let \mathcal{G} be a class of graphs whose membership is expressible in MSO logic. For any encoder \mathcal{E} , any function $g : \mathbb{N} \rightarrow \mathbb{N}$, and any $t \in \mathbb{N}$, if \mathcal{E} is g -confined and $\sim_{\mathcal{E},g,t}^*$ is DP-friendly, then any equivalence class of $\sim_{\mathcal{E},g,t}$ has a progressive representative of size at most $b(\mathcal{E}, g, t, \mathcal{G}) := 2^{r(\mathcal{E}, g, t, \mathcal{G})+1} \cdot t$, where $r(\mathcal{E}, g, t, \mathcal{G})$ is the function defined in Lemma 1.*

An explicit protrusion replacement. The next lemma specifies conditions under which, given an upper bound on the size of the representatives, a generic DP algorithm can provide in linear time an explicit protrusion replacer.

Lemma 4. [\star] *Let \mathcal{G} be a class of graphs, let \mathcal{E} be an encoder, let $g : \mathbb{N} \rightarrow \mathbb{N}$, and let $t \in \mathbb{N}$ such that \mathcal{E} is g -confined and $\sim_{\mathcal{E},g,t}^*$ is DP-friendly. Assume we are given an upper bound $b \geq t$ on the size of a smallest progressive representative of any class of $\sim_{\mathcal{E},g,t}$. Given a t -protrusion Y inside some graph, we can compute a t -protrusion Y' of size at most b such that $Y \sim_{\mathcal{E},g,t} Y'$ and $\Delta_{\mathcal{E},t}(Y', Y) \leq 0$. Furthermore, such a protrusion can be computed in time $O(|Y|)$, where the hidden constant depends only on $\mathcal{E}, g, b, \mathcal{G}$, and t .*

Let us now piece everything together to state the main result of [23] that we need to reprove here for packing-certifiable problems. For issues of constructibility, we restrict \mathcal{G} to be the class of H -(topological)-minor-free graphs.

Theorem 1. *Let \mathcal{G} be the class of graphs excluding some fixed graph H as a (topological) minor and let Π be a parameterized packing-certifiable problem defined on \mathcal{G} . Let \mathcal{E} be an encoder, let $g : \mathbb{N} \rightarrow \mathbb{N}$, and let $t \in \mathbb{N}$ such that \mathcal{E} is a g -confined Π -encoder and $\sim_{\mathcal{E},g,t}^*$ is DP-friendly. Given an instance (G, k) of Π and a t -protrusion Y in G , we can compute in time $O(|Y|)$ an equivalent instance $(G - (Y - \partial(Y)) \oplus Y', k')$ where Y' is a t -protrusion with $|Y'| \leq b(\mathcal{E}, g, t, \mathcal{G})$ and $k' \leq k$ and where $b(\mathcal{E}, g, t, \mathcal{G})$ is the function defined in Lemma 3.*

Proof: By Lemma 1, the number of equivalence classes of the equivalence relation $\sim_{\mathcal{E},g,t}$ is finite and by Lemma 3 the size of a smallest progressive representative of any equivalence class of $\sim_{\mathcal{E},g,t}$ is at most $b(\mathcal{E}, g, t, \mathcal{G})$. Therefore, we can apply Lemma 4 and deduce that, in time $O(|Y|)$, we can find a t -protrusion Y' of size at most $b(\mathcal{E}, g, t, \mathcal{G})$ such that $Y \sim_{\mathcal{E},g,t} Y'$ and the corresponding transposition constant $\Delta_{\mathcal{E},t}(Y', Y)$ with $\Delta_{\mathcal{E},t}(Y', Y) \leq 0$. Since \mathcal{E} is a Π -encoder and $\sim_{\mathcal{E},g,t}^*$ is DP-friendly, it follows from Lemma 2 that $Y \equiv_{\Pi} Y'$ and that $\Delta_{\Pi,t}(Y', Y) = \Delta_{\mathcal{E},t}(Y', Y) \leq 0$. Therefore, if we set $k' := k + \Delta_{\Pi,t}(Y', Y)$, it follows that (G, k) and $((G - (Y - \partial(Y))) \oplus Y', k')$ are indeed equivalent instances of Π with $k' \leq k$ and $|Y'| \leq b(\mathcal{E}, g, t, \mathcal{G})$. \square

Such a protrusion replacer can be used to obtain a kernel when, for instance, one is able to provide a protrusion decomposition of the instance.

Corollary 1. *Let \mathcal{G} be the class of graphs excluding some fixed graph H as a (topological) minor and let Π be a parameterized packing-certifiable problem defined on \mathcal{G} . Let \mathcal{E} be an encoder, let $g : \mathbb{N} \rightarrow \mathbb{N}$, and let $t \in \mathbb{N}$ such that \mathcal{E} is a g -confined Π -encoder and $\sim_{\mathcal{E},g,t}^*$ is DP-friendly. Given an instance (G, k) of Π and an $(\alpha k, t)$ -protrusion decomposition of G , we can construct a linear kernel for Π of size at most $(1 + b(\mathcal{E}, g, t, \mathcal{G})) \cdot \alpha \cdot k$, where $b(\mathcal{E}, g, t, \mathcal{G})$ is the function defined in Lemma 3.*

Proof: For $1 \leq i \leq \ell$, we apply the polynomial-time algorithm given by Theorem 1 to replace each t -protrusion Y_i with a graph Y'_i of size at most $b(\mathcal{E}, g, t, \mathcal{G})$ and to update the parameter accordingly. In this way we obtain an equivalent instance (G', k') such that $G' \in \mathcal{G}$, $k' \leq k$ and $|V(G')| \leq |Y_0| + \ell \cdot b(\mathcal{E}, g, t, \mathcal{G}) \leq (1 + b(\mathcal{E}, g, t, \mathcal{G}))\alpha \cdot k$. \square

4 Applications

Due to space limitations, we just sketch here the main ingredients that we use in our applications for obtaining the linear kernels. Full details can be found in the appendices. More precisely, we start in Appendix C with the linear kernel for CONNECTED-PLANAR- \mathcal{F} -PACKING. In Appendix D we deal with the variant in which the minor-models are pairwise at distance at least ℓ and, in Appendix E with the version in which each vertex can belong to at most ℓ minor-models. Finally, we adapt in Appendix F, the machinery developed for packing minors to packing subgraphs, considering both variants of the problem. For the sake of readability, each the considered problems will be redefined in the corresponding appendix.

General methodology. The next theorem will be fundamental in the applications.

Theorem 2 (Kim et al. [27]). *Let c, t be two positive integers, let H be an h -vertex graph, let G be an n -vertex H -topological-minor-free graph, and let k be a positive integer. If we are given a set $X \subseteq V(G)$ with $|X| \leq c \cdot k$ such that $\text{tw}(G - X) \leq t$, then we can compute in time $O(n)$ an $((\alpha_H \cdot t \cdot c) \cdot k, 2t + h)$ -protrusion decomposition of G , where α_H is a constant depending only on H , which is upper-bounded by $40h^2 2^{5h \log h}$.*

A typical application of our framework for obtaining an explicit linear kernel for a packing-certifiable problem Π on a graph class \mathcal{G} is as follows. The first task is to define an encoder \mathcal{E} and to prove that for some function $g : \mathbb{N} \rightarrow \mathbb{N}$, \mathcal{E} is a g -confined Π -encoder and $\sim_{\mathcal{E}, \mathcal{G}, t}^*$ is DP-friendly. This step is usually quite technical, but it becomes reasonably easy after one gets used to it. The next ingredient is a polynomial-time algorithm that, given an instance (G, k) of Π , either reports that (G, k) is a YES-instance (or a NO-instance, depending on the problem), or finds a treewidth-modulator of G with size $O(k)$. The way to obtain this algorithm depends on each particular problem and in our applications we will use a number of existing results in the literature in order to find it. Once we have such a linear treewidth-modulator, we can use Theorem 2 to find a linear protrusion decomposition of G . Finally, it just remains to apply Corollary 1 to obtain an explicit linear kernel for Π on \mathcal{G} .

Let us provide here some generic intuition about the additional criterion mentioned in the introduction to discard the entries in the tables of an encoder. For an encoder $\mathcal{E} = (\mathcal{C}^\mathcal{E}, L^\mathcal{E}, f^\mathcal{E})$ and a function $g : \mathbb{N} \rightarrow \mathbb{N}$, we need some notation in order to define the *relevant function* $\bar{f}_g^\mathcal{E}$, which will be an appropriate modification of $f^\mathcal{E}$. Let $G \in \mathcal{B}_t$ with boundary A and let R_A be an encoding. We (recursively) define R_A to be *irrelevant for $\bar{f}_g^\mathcal{E}$* if there exists a certificate \mathcal{S} such that $(G, \mathcal{S}, R_A) \in L^\mathcal{E}$ and $|\mathcal{S}| = f^\mathcal{E}(G, R_A)$ and a separator $B \subseteq V(G)$ with $|B| \leq t$ and $B \neq A$, such that \mathcal{S} induces an encoder R_B in the graph $G_B \in \mathcal{B}_t$ with $\bar{f}_g^\mathcal{E}(G_B, R_B) = -\infty$. Here, by using the term “induces” we implicitly assume that \mathcal{S} defines in an unambiguous way an encoder R_B in the graph G_B ; this will be the case in all the encoders used in our applications.

To define $\bar{f}_g^\mathcal{E}$, we will always use the following *natural* function $f^\mathcal{E}$, which for each problem Π is meant to correspond to an extension to boundary graphs of the maximization function f^Π of Definition 2. For a graph G and an encoding R , this natural function is defined as $f^\mathcal{E}(G, R) = \max\{k : \exists \mathcal{S}, |\mathcal{S}| \geq k, (G, \mathcal{S}, R) \in L^\mathcal{E}\}$. Then we define the function $\bar{f}_g^\mathcal{E}$ as follows:

$$\bar{f}_g^\mathcal{E}(G, R_A) = \begin{cases} -\infty, & \text{if } f^\mathcal{E}(G, R_A) + g(t) < \max\{f^\mathcal{E}(G, R) : R \in \mathcal{C}^\mathcal{E}(A(G))\}, \\ & \text{or if } R_A \text{ is irrelevant for } \bar{f}_g^\mathcal{E}. \\ f^\mathcal{E}(G, R_A), & \text{otherwise.} \end{cases}$$

That is, we will use the modified encoder $(\mathcal{C}^\mathcal{E}, L^\mathcal{E}, \bar{f}_g^\mathcal{E})$. We need to guarantee that the above function $\bar{f}_g^\mathcal{E}$ can be computed in time $h(|A(G)|) \cdot n^{O(1)}$, as required⁴ in Definition 8. Indeed, from the definition it follows that an encoding R_A defined at a node x of a given tree decomposition is irrelevant if and only if R_A can be obtained by combining encodings corresponding to the children of x , such that at least one of them is irrelevant. This latter property can be easily computed recursively on a tree decomposition within the claimed time bounds, by performing standard dynamic programming. We will omit this computability issue in the applications, as the same argument sketched here applies to all of them.

In order to obtain the linear treewidth-modulators mentioned before, we will use several results from [5, 20, 21], which in turn use the following two propositions (the grid-like graph Γ_r is defined in Appendix B).

Proposition 1 (Demaine and Hajiaghayi [11]). *There is a function $f_m : \mathbb{N} \rightarrow \mathbb{N}$ such that for every h -vertex graph H and every positive integer r , every H -minor-free graph with treewidth at least $f_m(h) \cdot r$, contains the $(r \times r)$ -grid as a minor.*

⁴ The fact that the values of the function $\bar{f}_g^\mathcal{E}$ can be calculated is important, in particular, in the proof of Lemma 4, since we need to be able to compute equivalence classes of the equivalence relation $\sim_{\mathcal{E}, \mathcal{G}, t}$.

Proposition 2 (Fomin *et al.* [18]). *There is a function $f_c : \mathbb{N} \rightarrow \mathbb{N}$ such that for every h -vertex apex graph H and every positive integer r , every H -minor-free graph with treewidth at least $f_c(h) \cdot r$, contains the graph Γ_r as a contraction.*

The current best upper bound [26] for the function f_m is $f_m(h) = 2^{O(h^2 \log h)}$ and, up to date, there is no explicit bound for the function f_c . We would like to note that this non-existence of explicit bounds for f_c is an issue that concerns the *graph class* of H -minor-free graphs and it is perfectly compatible with our objective of providing explicit constants for particular *problems* defined on that graph class, which will depend on the function f_c .

Let us now provide a sketch of the main basic ingredients used in each of the applications.

Packing minors. Let \mathcal{F} be a fixed finite set of graphs. In the \mathcal{F} -PACKING problem, we are given a graph G and an integer parameter k and the question is whether G has k vertex-disjoint subgraphs G_1, \dots, G_k , each containing some graph in \mathcal{F} as a minor. When all the graphs in \mathcal{F} are connected and \mathcal{F} contains at least one planar graph, we call the problem CONNECTED-PLANAR- \mathcal{F} -PACKING. The encoder uses the notion of rooted packing introduced by Adler *et al.* [1], which we also used in [23] for CONNECTED-PLANAR- \mathcal{F} -DELETION. To obtain the treewidth-modulator, we use the *Erdős-Pósa property* for graph minors [7, 14, 32]. More precisely, we use that on minor-free graphs, as proved by Fomin *et al.* [22], if (G, k) is a NO-instance of CONNECTED-PLANAR- \mathcal{F} -PACKING, then (G, k') is a YES-instance of CONNECTED-PLANAR- \mathcal{F} -DELETION for $k' = O(k)$. Finally, we use a result of Fomin *et al.* [21] that provides a polynomial-time algorithm to find treewidth-modulators for YES-instances of CONNECTED-PLANAR- \mathcal{F} -DELETION. The obtained constants involve, in particular, the currently best known constant-factor approximation of treewidth on minor-free graphs.

Packing scattered minors. Let \mathcal{F} be a fixed finite set of graphs and let ℓ be a positive integer. In the ℓ - \mathcal{F} -PACKING problem, we are given a graph G and an integer parameter k and the question is whether G has k subgraphs G_1, \dots, G_k pairwise at distance at least ℓ , each containing some graph from \mathcal{F} as a minor. The encoder for ℓ - \mathcal{F} -PACKING is a combination of the encoder for \mathcal{F} -PACKING and the one for ℓ -SCATTERED SET that we used in [23]. For obtaining the treewidth-modulator, unfortunately we cannot proceed as for packing minors, as up to date no linear Erdős-Pósa property for packing scattered planar minors is known; the best bound we are aware of is $O(k\sqrt{k})$, which is *not* enough to obtain a linear kernel. To circumvent this problem, we use the following trick: we (artificially) formulate ℓ - \mathcal{F} -PACKING as a vertex-certifiable problem and prove that it fits the conditions required by the framework of Fomin *et al.* [21] to produce a treewidth-modulator. (We would like to stress that this formulation of the problem as a vertex-certifiable one is *not* enough to apply the results of [23], as one has to further verify the necessary properties of the encoder are satisfied and it does not seem to be an easy task at all.) Once we have it, we consider the original formulation of the problem to define its encoder. As a drawback of resorting to the general results of [21] and, due to the fact that ℓ - \mathcal{F} -PACKING is contraction-bidimensional, we provide linear kernels for the problem on the (smaller) class of apex-minor-free graphs.

Packing overlapping minors. Let \mathcal{F} be a fixed finite set of graphs and let ℓ be a positive integer. Given a finite set of graphs \mathcal{F} and a positive integer ℓ , we consider the following problem. In the \mathcal{F} -PACKING WITH ℓ -MEMBERSHIP problem, we are given a graph G and an integer parameter k and the question is whether G has k subgraphs G_1, \dots, G_k such that each subgraph contains some graph from \mathcal{F} as a minor, and each vertex of G belongs to at most ℓ subgraphs. The encoder is an enhanced version of the one for packing minors, in which we allow a vertex to belong simultaneously to several minor-models. To obtain the treewidth-modulator, the situation is simpler than above, thanks to the fact that a packing of models is in particular a packing of models with ℓ -membership. This allows us to use the linear Erdős-Pósa property that we described for packing minors and therefore to construct linear kernels on minor-free graphs.

Packing scattered and overlapping subgraphs. The definitions of the corresponding problems are similar to the ones above, just by replacing the minor by the subgraph relation. The encoders are simplified versions of those that we defined for packing scattered and overlapping minors, respectively. The idea for obtaining the treewidth-modulator is to apply a simple reduction rule that removes all vertices not belonging to any of the copies of the subgraphs we are looking for. It can be easily proved that if a reduced graph is a NO-instance of the problem, then it is a YES-instance of ℓ' -DOMINATING SET, where ℓ' is a function of the integer ℓ corresponding to the problem and the largest diameter of a subgraph in the given family. We are now in position to use the machinery of [21] for ℓ' -DOMINATING SET and find a linear treewidth-modulator.

5 Conclusions and further research

In this article we generalized the framework introduced in [23] to deal with packing problems. Our main result can be seen as a *meta-theorem*, in the sense that as far as a particular problem satisfies the generic conditions stated in Corollary 1, an explicit linear kernel on the corresponding graph class follows. Nevertheless, in order to verify these generic conditions and, in particular, to verify that the equivalence relation associated with an encoder is DP-friendly, the proofs are usually quite technical (as demonstrated in the appendices of this article) and one first needs to get familiar with several definitions. We think that it may be possible to simplify the general methodology, thus improving its applicability.

Concerning the explicit bounds derived from our results, one natural direction is to reduce them as much as possible. These bounds depend on a number of intermediate results that we use along the way and improving any of them would result in an improvement on the overall kernel sizes. It is worth insisting here that some of the bounds involve the (currently) *non-explicit* function f_c defined in Proposition 2, which depends exclusively on the considered graph class (and not on each particular problem). In order to find explicit bounds for this function f_c , we leave as future work using the linear-time deterministic protrusion replacer recently introduced by Fomin *et al.* [19], partially inspired from [23].

It seems plausible to push further the machinery that we developed for dealing with even more general problems, whose certificates concern objects more general than packings. Finding interesting problems of this shape looks like an interesting avenue for further research.

Acknowledgement. We would like to thank Archontia Giannopoulou for insightful discussions about the Erdős-Pósa property for scattered planar minors.

References

1. I. Adler, F. Dorn, F. V. Fomin, I. Sau, and D. M. Thilikos. Faster parameterized algorithms for minor containment. *Theoretical Computer Science*, 412(50):7018–7028, 2011.
2. J. Alber, M. Fellows, and R. Niedermeier. Polynomial-Time Data Reduction for Dominating Set. *Journal of the ACM*, 51(3):363–384, 2004.
3. A. Atminas, M. Kaminski, and J.-F. Raymond. Induced packings of cycles. *CoRR*, abs/1409.2733, 2014.
4. H. L. Bodlaender. A linear-time algorithm for finding tree-decompositions of small treewidth. *SIAM Journal on Computing*, 25(6):1305–1317, 1996.
5. H. L. Bodlaender, F. V. Fomin, D. Lokshtanov, E. Penninkx, S. Saurabh, and D. M. Thilikos. (Meta) Kernelization. In *Proc. of the 50th IEEE Symposium on Foundations of Computer Science (FOCS)*, pages 629–638. IEEE Computer Society, 2009.
6. H. L. Bodlaender, S. Thomassé, and A. Yeo. Kernel bounds for disjoint cycles and disjoint paths. *Theoretical Computer Science*, 412(35):4570–4578, 2011.
7. C. Chekuri and J. Chuzhoy. Large-treewidth graph decompositions and applications. In *Proc. of the 45th Symposium on the Theory of Computing (STOC)*, pages 291–300, 2013.
8. C. Chekuri and J. Chuzhoy. Polynomial bounds for the grid-minor theorem. In *Proc. of the 46th ACM Symposium on the Theory of Computing (STOC)*, pages 60–69, 2014.
9. B. Courcelle. The Monadic Second-Order Logic of Graphs. I. Recognizable Sets of Finite Graphs. *Information and Computation*, 85(1):12–75, 1990.

10. M. Cygan, J. Nederlof, M. Pilipczuk, M. Pilipczuk, J. M. M. van Rooij, and J. O. Wojtaszczyk. Solving connectivity problems parameterized by treewidth in single exponential time. In *Proc. of the 52nd IEEE Symposium on Foundations of Computer Science (FOCS)*, pages 150–159. IEEE Computer Society, 2011.
11. E. D. Demaine and M. Hajiaghayi. Linearity of grid minors in treewidth with applications through bidimensionality. *Combinatorica*, 28(1):19–36, 2008.
12. R. Diestel. *Graph Theory*, volume 173. Springer-Verlag, 4th edition, 2010.
13. R. G. Downey and M. R. Fellows. *Fundamentals of Parameterized Complexity*. Texts in Computer Science. Springer, 2013.
14. P. Erdős and L. Pósa. On independent circuits contained in a graph. *Canadian Journal of Mathematics*, 17:347–352, 1965.
15. M. R. Fellows, J. Guo, C. Komusiewicz, R. Niedermeier, and J. Uhlmann. Graph-based data clustering with overlaps. *Discrete Optimization*, 8(1):2–17, 2011.
16. H. Fernau, A. López-Ortiz, and J. Romero. Kernelization algorithms for packing problems allowing overlaps. In *Proc. of the 12th Annual Conference on Theory and Applications of Models of Computation, (TAMC)*, volume 9076 of *LNCS*, pages 415–427, 2015.
17. J. Flum and M. Grohe. *Parameterized Complexity Theory*. Texts in Theoretical Computer Science. Springer, 2006.
18. F. V. Fomin, P. A. Golovach, and D. M. Thilikos. Contraction obstructions for treewidth. *Journal of Combinatorial Theory, Series B*, 101(5):302–314, 2011.
19. F. V. Fomin, D. Lokshtanov, N. Misra, M. S. Ramanujan, and S. Saurabh. Solving d -SAT via Backdoors to Small Treewidth. In *Proc. of the 26th ACM-SIAM Symp. on Disc. Algorithms (SODA)*, pages 630–641, 2015.
20. F. V. Fomin, D. Lokshtanov, V. Raman, and S. Saurabh. Bidimensionality and EPTAS. In *Proc. of the 22nd ACM-SIAM Symp. on Disc. Algorithms (SODA)*, pages 748–759, 2011.
21. F. V. Fomin, D. Lokshtanov, S. Saurabh, and D. M. Thilikos. Bidimensionality and kernels. In *Proc. of the 21st ACM-SIAM Symp. on Disc. Algorithms (SODA)*, pages 503–510, 2010.
22. F. V. Fomin, S. Saurabh, and D. M. Thilikos. Strengthening Erdős-Pósa property for minor-closed graph classes. *Journal of Graph Theory*, 66(3):235–240, 2011.
23. V. Garnero, C. Paul, I. Sau, and D. M. Thilikos. Explicit linear kernels via dynamic programming. *SIAM Journal on Discrete Mathematics*, 29(4):1864–1894, 2015.
24. A. Giannopoulou. *Partial Orderings and Algorithms on Graphs*. PhD thesis, Department of Mathematics, University of Athens, Greece, 2012.
25. J. Guo and R. Niedermeier. Linear problem kernels for NP-hard problems on planar graphs. In *Proc. of the 34th International Colloquium on Automata, Languages and Programming (ICALP)*, volume 4596 of *LNCS*, pages 375–386, 2007.
26. K. Kawarabayashi and Y. Kobayashi. Linear min-max relation between the treewidth of H -minor-free graphs and its largest grid. In *Proc. of the 29th International Symposium on Theoretical Aspects of Computer Science (STACS)*, volume 14 of *LIPICs*, pages 278–289, 2012.
27. E. J. Kim, A. Langer, C. Paul, F. Reidl, P. Rossmanith, I. Sau, and S. Sikdar. Linear kernels and single-exponential algorithms via protrusion decompositions. In *Proc. of the 40th International Colloquium on Automata, Languages and Programming (ICALP)*, volume 7965 of *LNCS*, pages 613–624, 2013. To appear in *ACM Transactions on Algorithms*.
28. T. Kloks. *Treewidth. Computations and Approximations*. Springer-Verlag LNCS, 1994.
29. D. Lokshtanov, D. Marx, and S. Saurabh. Lower bounds based on the exponential time hypothesis. *Bulletin of the EATCS*, 105:41–72, 2011.
30. H. Moser. A problem kernelization for graph packing. In *Proc. of the 35th International Conference on Current Trends in Theory and Practice of Computer Science (SOFSEM)*, volume 5404 of *LNCS*, pages 401–412, 2009.
31. R. Niedermeier. *Invitation to Fixed-Parameter Algorithms*. Oxford University Press.
32. N. Robertson and P. D. Seymour. Graph Minors. V. Excluding a Planar Graph. *Journal of Combinatorial Theory, Series B*, 41(1):92–114, 1986.
33. N. Robertson and P. D. Seymour. Graph Minors. XIII. The Disjoint Paths Problem. *Journal of Combinatorial Theory, Series B*, 63(1):65–110, 1995.
34. J. Romero and A. López-Ortiz. The \mathcal{G} -packing with t -overlap problem. In *Proc. of the 8th International Workshop on Algorithms and Computation (WALCOM)*, volume 8344 of *LNCS*, pages 114–124, 2014.
35. J. Romero and A. López-Ortiz. A parameterized algorithm for packing overlapping subgraphs. In *Proc. of the 9th International Computer Science Symposium in Russia (CSR)*, volume 8476 of *LNCS*, pages 325–336, 2014.

A Deferred proofs in Section 3

A.1 Proof of Lemma 1

Let us first show that the equivalence relation $\sim_{\mathcal{E},t}^*$ has finite index. Let $I \subseteq \{1, \dots, t\}$. Since we assume that \mathcal{E} is g -confined, we have that for any $G \in \mathcal{B}_t$ with $\Lambda(G) = I$, the function $f^{\mathcal{E}}(G, \cdot)$ can take at most $g(t) + 2$ distinct values ($g(t) + 1$ finite values and possibly the value $-\infty$). Therefore, it follows that the number of equivalence classes of $\sim_{\mathcal{E},t}^*$ containing all graphs $G \in \mathcal{B}_t$ with $\Lambda(G) = I$ is at most $(g(t) + 2)^{|\mathcal{C}^{\mathcal{E}}(I)|}$. As the number of subsets of $\{1, \dots, t\}$ is 2^t , we deduce that the overall number of equivalence classes of $\sim_{\mathcal{E},t}^*$ is at most $(g(t) + 2)^{g_{\mathcal{E}}(t)} \cdot 2^t$. Finally, since the equivalence relation $\sim_{\mathcal{E},\mathcal{G},t}^*$ is the Cartesian product of the equivalence relations $\sim_{\mathcal{E},t}^*$ and $\sim_{\mathcal{G},t}$, the result follows from the fact that \mathcal{G} can be expressed in MSO logic.

A.2 Proof of Fact 1

Let $G = G^- \oplus G_B$ and let $G' = G^- \oplus G'_B$. Assume that $G \sim_{\mathcal{E},t}^* G'$. In order to deduce that $G \sim_{\mathcal{E},\mathcal{G},t}^* G'$, it suffices to prove that $G \sim_{\mathcal{G},t} G'$. Let $H \in \mathcal{B}_t$. We need to show that $G \oplus H \in \mathcal{G}$ if and only if $G' \oplus H \in \mathcal{G}$. We have that $G \oplus H = (G_B \oplus G^-) \oplus H = G_B \oplus (G^- \oplus H)$, and similarly for G' . Since $G_B \sim_{\mathcal{G},t} G'_B$, it follows that $G \oplus H = G_B \oplus (G^- \oplus H) \in \mathcal{G}$ if and only if $G_B \oplus (G^- \oplus H) = G' \oplus H \in \mathcal{G}$.

A.3 Proof of Lemma 2

Let $\mathcal{E} = (\mathcal{C}^{\mathcal{E}}, L^{\mathcal{E}}, f^{\mathcal{E}})$ be a Π -encoder and let $G_1, G_2 \in \mathcal{B}_t$ such that $G_1 \sim_{\mathcal{E},t} G_2$. We need to prove that for any $H \in \mathcal{B}_t$ and any integer k , $(G_1 \oplus H, k) \in \Pi$ if and only if $(G_2 \oplus H, k + \Delta_{\mathcal{E},t}(G_1, G_2)) \in \Pi$.

Suppose that $(G_1 \oplus H, k) \in \Pi$ (by symmetry the same arguments apply starting with G_2). Since $G_1 \oplus H$ is a 0-boundaried graph and \mathcal{E} is a Π -encoder, we have that

$$f^{\mathcal{E}}(G_1 \oplus H, R_{\emptyset}) = f^{\Pi}(G_1 \oplus H) \leq k. \quad (3)$$

As $\sim_{\mathcal{E},\mathcal{G},t}^*$ is DP-friendly and $G_1 \sim_{\mathcal{E},\mathcal{G},t}^* G_2$, it follows that $(G_1 \oplus H) \sim_{\mathcal{E},\mathcal{G},t}^* (G_2 \oplus H)$ and that $\Delta_{\mathcal{E},t}(G_1 \oplus H, G_2 \oplus H) = \Delta_{\mathcal{E},t}(G_1, G_2)$. Since $G_2 \oplus H$ is also a 0-boundaried graph, the latter property and Equation (3) imply that

$$f^{\mathcal{E}}(G_2 \oplus H, R_{\emptyset}) = f^{\mathcal{E}}(G_1 \oplus H, R_{\emptyset}) + \Delta_{\mathcal{E},t}(G_1, G_2) \leq k + \Delta_{\mathcal{E},t}(G_1, G_2). \quad (4)$$

Since \mathcal{E} is a Π -encoder, $f^{\Pi}(G_2 \oplus H) = f^{\mathcal{E}}(G_2 \oplus H, R_{\emptyset})$, and from Equation (4) it follows that $(G_2 \oplus H, k + \Delta_{\mathcal{E},t}(G_1, G_2)) \in \Pi$.

A.4 Proof of Lemma 3

Let \mathfrak{C} be an arbitrary equivalence class of $\sim_{\mathcal{E},\mathcal{G},t}$. Let us first argue that \mathfrak{C} contains some progressive representative. Since $\Delta_{\mathcal{E},t}(G_1, G_2) = f^{\mathcal{E}}(G_1, R) - f^{\mathcal{E}}(G_2, R)$ for any encoding R , $G \in \mathfrak{C}$ is progressive if $f^{\mathcal{E}}(G, R)$ is minimal in $f^{\mathcal{E}}(\mathfrak{C}, R) = \{f^{\mathcal{E}}(G, R) : G \in \mathfrak{C}\}$, for any R . Since $f^{\mathcal{E}}(\mathfrak{C}, R)$ is a subset of \mathbb{N} , it necessarily has a minimal element, hence there is a progressive representative in \mathfrak{C} (in other words, the order defined by $G_1 \preceq G_2$ if $\Delta_{\mathcal{E},t}(G_1, G_2) \leq 0$ is well-founded).

Now let $G \in \mathfrak{C}$ be a progressive representative of \mathfrak{C} with minimum number of vertices. We claim that G has size at most $2^{r(\mathcal{E},g,t,\mathcal{G})+1} \cdot t$ (we would like to stress that at this stage we only need to care about the *existence* of such representative G , and not about how to *compute* it). Let (T, \mathcal{X}) be a boundaried nice tree decomposition of G of width at most $t - 1$ such that $\partial(G)$ is contained in the root-bag (such a nice tree decomposition exists by [28]).

We first claim that for any node x of T , the graph G_x is a progressive representative of its equivalence class with respect to $\sim_{\mathcal{E},\mathcal{G},t}$, namely \mathfrak{C}' . Indeed, assume for contradiction that it is not the case, and let G'_x be a progressive representative of \mathfrak{C}' , which exists by the discussion in the first paragraph of the proof. Since G'_x is progressive and G_x is not, $\Delta_{\mathcal{E},t}(G'_x, G_x) < 0$. Let G' be the graph obtained from G by replacing G_x with G'_x . Since $\sim_{\mathcal{E},\mathcal{G},t}^*$ is DP-friendly, it follows that $G \sim_{\mathcal{E},\mathcal{G},t}^* G'$ and that $\Delta_{\mathcal{E},t}(G', G) = \Delta_{\mathcal{E},t}(G'_x, G_x) < 0$, contradicting the fact that G is a progressive representative of the equivalence class \mathfrak{C} .

We now claim that for any two nodes $x, y \in V(T)$ lying on a path from the root to a leaf of T , it holds that $G_x \approx_{\mathcal{E}, \mathcal{G}, t} G_y$. Indeed, assume for contradiction that there are two nodes $x, y \in V(T)$ lying on a path from the root to a leaf of T such that $G_x \not\approx_{\mathcal{E}, \mathcal{G}, t} G_y$. Let \mathfrak{C}' be the equivalence class of G_x and G_y with respect to $\approx_{\mathcal{E}, \mathcal{G}, t}$. By the previous claim, it follows that both G_x and G_y are progressive representatives of \mathfrak{C}' , and therefore it holds that $\Delta_{\mathcal{E}, t}(G_y, G_x) = 0$. Suppose without loss of generality that $G_y \subsetneq G_x$ (that is, G_y is a strict subgraph of G_x), and let G' be the graph obtained from G by replacing G_x with G_y . Again, since $\approx_{\mathcal{E}, \mathcal{G}, t}^*$ is DP-friendly, it follows that $G \approx_{\mathcal{E}, \mathcal{G}, t} G'$ and that $\Delta_{\mathcal{E}, t}(G', G) = \Delta_{\mathcal{E}, t}(G_y, G_x) = 0$. Therefore, G' is a progressive representative of \mathfrak{C} with $|V(G')| < |V(G)|$, contradicting the minimality of $|V(G)|$.

Finally, since for any two nodes $x, y \in V(T)$ lying on a path from the root to a leaf of T we have that $G_x \approx_{\mathcal{E}, \mathcal{G}, t} G_y$, it follows that the height of T is at most the number of equivalence classes of $\approx_{\mathcal{E}, \mathcal{G}, t}$, which is at most $r(\mathcal{E}, g, t, \mathcal{G})$ by Lemma 1. Since T is a binary tree, we have that $|V(T)| \leq 2^{r(\mathcal{E}, g, t, \mathcal{G})+1} - 1$. Finally, since $|V(G)| \leq |V(T)| \cdot t$, it follows that $|V(G)| \leq 2^{r(\mathcal{E}, g, t, \mathcal{G})+1} \cdot t$, as we wanted to prove.

A.5 Proof of Lemma 4

Let $\mathcal{E} = (\mathcal{C}^{\mathcal{E}}, L^{\mathcal{E}}, f^{\mathcal{E}})$ be the given encoder. We start by generating a repository \mathfrak{R} containing all the graphs in \mathcal{F}_t with at most $b+1$ vertices. Such a set of graphs, as well as a boundaried nice tree decomposition of width at most $t-1$ of each of them, can be clearly generated in time depending only on b and t . By assumption, the size of a smallest progressive representative of any equivalence class of $\approx_{\mathcal{E}, \mathcal{G}, t}$ is at most b , so \mathfrak{R} contains a progressive representative of any equivalence class of $\approx_{\mathcal{E}, \mathcal{G}, t}$ with at most b vertices. We now partition the graphs in \mathfrak{R} into equivalence classes of $\approx_{\mathcal{E}, \mathcal{G}, t}$ as follows: for each graph $G \in \mathfrak{R}$ and each encoding $R \in \mathcal{C}^{\mathcal{E}}(\Lambda(G))$, as $L^{\mathcal{E}}$ and $f^{\mathcal{E}}$ are computable, we can compute the value $f^{\mathcal{E}}(G, R)$ in time depending only on \mathcal{E}, g, t , and b . Therefore, for any two graphs $G_1, G_2 \in \mathfrak{R}$, we can decide in time depending only on \mathcal{E}, g, t, b , and \mathcal{G} whether $G_1 \approx_{\mathcal{E}, \mathcal{G}, t} G_2$, and if this is the case, we can compute the transposition constant $\Delta_{\mathcal{E}, t}(G_1, G_2)$ within the same running time.

Given a t -protrusion Y on n vertices with boundary $\partial(Y)$, we first compute a boundaried nice tree decomposition (T, \mathcal{X}, r) of Y in time $f(t) \cdot n$, by using the linear-time algorithm of Bodlaender [4, 28]. Such a t -protrusion Y equipped with a tree decomposition can be naturally seen as a t -boundaried graph by assigning distinct labels from $\{1, \dots, t\}$ to the vertices in the root-bag. We can assume that $\Lambda(Y) = \{1, \dots, t\}$. Note that the labels can be transferred to the vertices in all the bags of (T, \mathcal{X}, r) , by performing a standard shifting procedure when a vertex is introduced or removed from the nice tree decomposition [5]. Therefore, each node $x \in V(T)$ defines in a natural way a t -protrusion $Y_x \subseteq Y$ with its associated boundaried nice tree decomposition, with all the boundary vertices contained in the root bag. Let us now proceed to the description of the replacement algorithm.

We process the bags of (T, \mathcal{X}) in a bottom-up way until we encounter the first node x in $V(T)$ such that $|V(Y_x)| = b+1$ (note that as (T, \mathcal{X}) is a nice tree decomposition, when processing the bags in a bottom-up way, at most one new vertex is introduced at every step, and recall that $b \geq t$, hence such an x exists). We compute the equivalence class \mathfrak{C} of Y_x according to $\approx_{\mathcal{E}, \mathcal{G}, t}$; this corresponds to computing the set of encodings $\mathcal{C}^{\mathcal{E}}(\Lambda(Y_x))$ and the associated values of $f^{\mathcal{E}}(Y_x, \cdot)$ that, by definition of an encoder, can be computed in time $h(|\Lambda(Y_x)|) \cdot b^{O(1)}$, where h is some computable function. As $|V(Y_x)| = b+1$, the graph Y_x is contained in the repository \mathfrak{R} , so in constant time we can find in \mathfrak{R} a progressive representative Y'_x of \mathfrak{C} with at most b vertices and the corresponding transposition constant $\Delta_{\mathcal{E}, t}(Y'_x, Y_x) \leq 0$, (the inequality holds because Y'_x is progressive). Let Z be the graph obtained from Y by replacing Y_x with Y'_x , so we have that $|V(Y')| < |V(Z)|$ (note that this replacement operation directly yields a boundaried nice tree decomposition of width at most $t-1$ of Z). Since $\approx_{\mathcal{E}, \mathcal{G}, t}^*$ is DP-friendly, it follows that $Y \approx_{\mathcal{E}, \mathcal{G}, t} Z$ and that $\Delta_{\mathcal{E}, t}(Z, Y) = \Delta_{\mathcal{E}, t}(Y'_x, Y_x) \leq 0$.

We recursively apply this replacement procedure on the resulting graph until we eventually obtain a t -protrusion Y' with at most b vertices such that $Y \approx_{\mathcal{E}, \mathcal{G}, t} Y'$. The corresponding transposition constant $\Delta_{\mathcal{E}, t}(Y', Y)$ can be easily computed by summing up all the transposition constants given by each of the performed replacements. Since each of these replacements introduces a progressive representative, we have that $\Delta_{\mathcal{E}, t}(Y', Y) \leq 0$. As we can assume that the total number of nodes in a nice tree decomposition of Y is $O(n)$ [28, Lemma 13.1.2], the overall running time of the algorithm is $O(n)$ (the constant hidden in the “ O ” notation depends indeed exclusively on $\mathcal{E}, g, b, \mathcal{G}$, and t).

B A grid-like graph contained as a contraction in graphs of large treewidth

For an integer $r \geq 2$, let Γ_r be the graph obtained from the $(r \times r)$ -grid by triangulating internal faces such that all internal vertices become of degree 6, all non-corner external vertices are of degree 4, and one corner of degree 2 is made adjacent to all vertices of the external face (the *corners* are the vertices that in the underlying grid have degree 2). As an example, the graph Γ_6 is shown in Figure 1.




Fig. 1. The graph Γ_6 .

C A linear kernel for Connected-Planar- \mathcal{F} -Packing

Let \mathcal{F} be a finite set of graphs. We define the \mathcal{F} -PACKING problem as follows.

<p>\mathcal{F}-PACKING</p> <p>Instance: A graph G and a non-negative integer k.</p> <p>Parameter: The integer k.</p> <p>Question: Does G have k vertex-disjoint subgraphs G_1, \dots, G_k each containing some graph in \mathcal{F} as a minor?</p>
--

In order to build a protrusion decomposition for instances of the above problem, we use a version of the Erdős-Pósa property (see Definition 16 and Theorem 3) that establishes a linear relation between NO-instances of \mathcal{F} -PACKING and YES-instances of \mathcal{F} -DELETION, and then we apply tools of Bidimensionality theory on \mathcal{F} -DELETION (see Corollary 2). Hence, we also need to define the \mathcal{F} -DELETION problem.

<p>\mathcal{F}-DELETION</p> <p>Instance: A graph G and a non-negative integer k.</p> <p>Parameter: The integer k.</p> <p>Question: Does G have a set $S \subseteq V(G)$ such that $S \leq k$ and $G - S$ is H-minor-free for every $H \in \mathcal{F}$?</p>
--

When all the graphs in \mathcal{F} are connected, the corresponding problems are called CONNECTED- \mathcal{F} -PACKING and CONNECTED- \mathcal{F} -DELETION, and when \mathcal{F} contains at least one planar graph, we call them PLANAR- \mathcal{F} -PACKING and PLANAR- \mathcal{F} -DELETION, respectively. When both conditions are satisfied, the problems are called CONNECTED-PLANAR- \mathcal{F} -PACKING and CONNECTED-PLANAR- \mathcal{F} -DELETION (the parameterized versions of these problems are respectively denoted by cFP , cFD , pFP , pFD , cpFP , and cpFD).

In this section we present a linear kernel for CONNECTED-PLANAR- \mathcal{F} -PACKING on the family of graphs excluding a fixed graph H as a minor.

We need to define which kind of structure a certificate for \mathcal{F} -PACKING is. For an arbitrary graph, a solution will consist of a *packing of models* as defined below. We also recall the definition of model.

Definition 14. A model of a graph F in a graph G is a mapping Φ that assigns to every vertex $v \in V(F)$ a non-empty connected subgraph $\Phi(v)$ of G , and to every edge $e \in E(F)$ an edge $\Phi(e) \in E(G)$, such that:

- the graphs $\Phi(v)$ for $v \in V(F)$ are mutually vertex-disjoint and the edges $\Phi(e)$ for $e \in E(F)$ are pairwise distinct;
- for $\{u, v\} \in E(F)$, $\Phi(\{u, v\})$ has one endpoint in $V(\Phi(u))$ and the other in $V(\Phi(v))$.

We denote by $\Phi(F)$ the subgraph of G obtained by the (disjoint) union of the subgraphs $\Phi(v)$ for $v \in V(F)$ plus the edges $\Phi(e)$ for $e \in E(F)$.

Definition 15. Given a set \mathcal{F} of minors and a graph G , a packing of models \mathcal{S} is a set of vertex-disjoint models. That is, the graphs $\Phi(F)$ for $\Phi \in \mathcal{S}, F \in \mathcal{F}$ are pairwise vertex-disjoint.

C.1 A protrusion decomposition for an instance of \mathcal{F} -Packing

In order to find a linear protrusion decomposition, we need some preliminaries.

Definition 16. A class of graphs \mathcal{F} satisfies the Erdős-Pósa property [14] if there exists a function f such that, for every integer k and every graph G , either G contains k vertex-disjoint subgraphs each isomorphic to a graph in \mathcal{F} , or there is a set $S \subseteq V(G)$ of at most $f(k)$ vertices such that $G - S$ has no subgraph in \mathcal{F} .

Given a connected graph F , let $\mathcal{M}(F)$ be the class of graphs that can be contracted to F . Robertson and Seymour [32] proved that $\mathcal{M}(F)$ satisfies the Erdős-Pósa property if and only if F is planar. A significant improvement on the function $f(k)$ has been recently provided by Chekuri and Chuzhoy [7]. When G belongs to a proper minor-closed family, Fomin *et al.* [22] proved that f can be taken to be linear for any planar graph F . It is not difficult to see that these results also hold if instead of a connected planar graph F , we consider a finite family \mathcal{F} of connected graphs containing at least one planar graph. This discussion can be summarized as follows, with a precise upper bound on the desired linear constant.

Theorem 3 (Fomin *et al.* [22]). Let \mathcal{F} be a finite family of connected graphs containing at least one planar graph on r vertices, let H be an h -vertex graph, and let \mathcal{G} be the class of H -minor-free graphs. There exists a constant c such that if $(G, k) \notin \text{CPFP}_{\mathcal{G}}$, then $(G, c \cdot r \cdot 2^{15h+8h \log h} \cdot k) \in \text{CPFD}_{\mathcal{G}}$.

The next theorem provides a way to find a treewidth-modulator for an instance of a problem verifying the so-called *bidimensionality* and *separability* properties restricted to the class of (apex)-minor-free graphs. Loosely speaking, the algorithm consists in building a tree decomposition of the instance, then finding a bag that separates the instance in such a way that the solution is balanced, and finally finding recursively other bags in the two new tree decompositions. In order to make the algorithm constructive, we need to build a tree decomposition of the input graph whose width differs from the optimal one by a constant factor. To this aim, we use a (polynomial) approximation algorithm of treewidth on minor-free graphs, which is well-known to exist. Let us denote by τ_H this approximation ratio. To the best of our knowledge there is no explicit upper bound on this ratio, but one can be derived from the proofs of Demaine and Hajiaghayi [11]. We note that any improvement on this constant will directly translate to the size of our kernels. We also need to compute an initial solution of the problem under consideration. Fortunately, for all our applications, there is an FPT on minor-free graphs [20]. By choosing the approximation ratio of the solution to be 2, we can announce the following theorem adapted from Fomin *et al.* [21].

Theorem 4 (Fomin *et al.* [21]). For any real $\varepsilon > 0$ and any minor-bidimensional (resp. contraction-bidimensional) linear-separable problem Π on a the class \mathcal{G} of graphs that exclude a minor H (resp. an apex-minor H), there exists an integer $t \geq 0$ such that any graph $G \in \mathcal{G}$ has a treewidth- t -modulator of size at most $\varepsilon \cdot f^{\Pi}(G)$.

The impact of the tree decomposition approximation is hidden in the value of t , and the impact of the solution approximation will be hidden in the “ O ” notation. The parameters from the class of graphs or from the problem will affect the *time complexity* of the algorithm, and not the size of our kernel. In our applications we state corollaries of the above result (namely, Corollary 2 and Corollary 3) in which we choose $\varepsilon = 1$ and we provide an explicit bound on the value of t .

We are in position to state the following corollary claiming that, given an instance of PLANAR- \mathcal{F} -DELETION, in polynomial time we can either find a treewidth-modulator or report that is a NO-instance. This is a corollary of the result of Fomin *et al.* [21] stated in Theorem 4, where ε is fixed to be 1. The bound on the treewidth is derived from the proof of Theorem 4 in [21].

Corollary 2. *Let \mathcal{F} be a finite set of graphs containing at least one r -vertex planar graph F , let H be an h -vertex graph, and let \mathcal{G} be the class of H -minor-free graphs. If $(G, k') \in \text{PFD}_{\mathcal{G}}$, then there exists a set $X \subseteq V(G)$ such that $|X| = k'$ and $\text{tw}(G - X) = O(r\sqrt{r} \cdot \tau_H^3 \cdot f_m(h)^3)$. Moreover, given an instance (G, k) with $|V(G)| = n$, there is an algorithm running in time $O(n^3)$ that either finds such a set X or correctly reports that $(G, k) \notin \text{PFD}_{\mathcal{G}}$.*

Note that since in Theorem 4 the value of ε can be chosen arbitrarily, we can state many variants of the above corollary. For instance, in our previous article [23], we used the particular case where $|X| = O(r \cdot f_m(h) \cdot k')$ and $\text{tw}(G - X) = O(r \cdot f_m(h)^2)$.

We are now able to construct a linear protrusion decomposition.

Lemma 5. *Let \mathcal{F} be a finite set of graphs containing at least one r -vertex planar graph F , let H be an h -vertex graph, and let \mathcal{G} be the class of H -minor-free graphs. Let (G, k) be an instance of CONNECTED-PLANAR- \mathcal{F} -PACKING. If $(G, k) \notin \text{CPFP}_{\mathcal{G}}$, then we can construct in polynomial time a linear protrusion decomposition of G .*

Proof: Given an instance (G, k) of $\text{CPFP}_{\mathcal{G}}$, we run the algorithm given by Corollary 2 for the CONNECTED-PLANAR- \mathcal{F} -DELETION problem with input $(G, k' = c \cdot r \cdot 2^{15h+8h \log h} \cdot k)$. If the algorithm is not able to find a treewidth-modulator X of size $|X| = k'$, then by Theorem 3 we can conclude that $(G, k) \in \text{CPFP}_{\mathcal{G}}$. Otherwise, we use the set X as input to the algorithm given by Theorem 2, which outputs in linear time an $((\alpha_H \cdot t) \cdot k', 2t + h)$ -protrusion decomposition of G , where

- $t = O(r\sqrt{r} \cdot \tau_H^3 \cdot f_m(h)^3)$ is provided by Corollary 2 (the bound on the treewidth);
- $k' = O(r \cdot 2^{O(h \log h)} \cdot k)$ is provided by Theorem 3 (the parameter of \mathcal{F} -DELETION); and
- $\alpha_H = O(h^2 2^{O(h \log h)})$ is the constant provided by Theorem 2.

That is, we have obtained an $(O(h^2 2^{O(h \log h)} \cdot r^{5/2} \cdot \tau_H^3 \cdot f_m(h)^3) \cdot k, O(r\sqrt{r} \cdot \tau_H^3 \cdot f_m(h)^3))$ -protrusion decomposition of G , as claimed. \square

C.2 An encoder for \mathcal{F} -Packing

Our encoder $\mathcal{E}_{\mathcal{FP}}$ for \mathcal{F} -PACKING uses the notion of rooted packing [1], and is inspired by results on the CYCLE PACKING problem [5].

Assume first for simplicity that $\mathcal{F} = \{F\}$ consists of a single connected graph F . Following [1], we introduce a combinatorial object called *rooted packing*. These objects are originally defined for branch decompositions, but can easily be translated to tree decompositions. Loosely speaking, rooted packings capture how *potential models* of F intersect the separator that the algorithm is processing. It is worth mentioning that the notion of rooted packing is related to the notion of *folio* introduced by Robertson and Seymour [33], but more suited to dynamic programming.

Definition 17. *Let F be a connected graph. Given a boundary B of the input graph G , we define a rooted packing of B as a quintuple $(\mathcal{A}, S_F^*, S_F, \psi, \chi)$, where*

- $S_F \subseteq S_F^*$ are both subsets of $V(F)$;
- \mathcal{A} is a (possible empty) collection of mutually disjoint non-empty subsets of B ;
- $\psi: \mathcal{A} \rightarrow S_F$ is a surjective mapping assigning vertices of S_F to the sets in \mathcal{A} ; and
- $\chi: S_F \times S_F \rightarrow \{0, 1\}$ is a binary symmetric function between pairs of vertices in S_F .

We also define a potential model of F in G matching with $(\mathcal{A}, S_F^*, S_F, \psi, \chi)$ as a partial mapping Φ , that assigns to every vertex $v \in S_F$ a non-empty subgraph $\Phi(v) \subseteq G$ such that $\{A \in \mathcal{A} : \psi(A) = v\}$ is the set of intersections of B with connected components of $\Phi(v)$; to every vertex $v \in S_F^* \setminus S_F$ a non-empty connected subgraph $\Phi(v) \subseteq G$; and to every edge $e \in \{e \in E(F) : \chi(e) = 1 \vee e \in S_F^* \times S_F^* \setminus S_F\}$ an edge $\Phi(e) \in E(G)$, such that Φ satisfies the two following conditions (as in Definition 14):

- the graphs $\Phi(v)$ for $v \in V(F)$ are mutually vertex-disjoint and the edges $\Phi(e)$ for $e \in E(F)$ are pairwise distinct; and
- for $\{u, v\} \in E(F)$, $\Phi(\{u, v\})$ has one endpoint in $V(\Phi(u))$ and the other in $V(\Phi(v))$.

The intended meaning of a rooted packing $(\mathcal{A}, S_F^*, S_F, \psi, \chi)$ on separator b is as follows. The packing \mathcal{A} represents the intersection of the connected components of the potential model with B . The subsets $S_F^*, S_F \subseteq V(F)$ and the function χ indicate that we are looking in the graph G for a potential model of $F[S_F^*]$ containing the edges between vertices in S_F given by the function χ . Namely, the function χ captures which edges of $F[S_F^*]$ have been realized so far in the processed graph. Since we allow the vertex-models intersecting B to be disconnected, we need to keep track of their connected components. The subset $S_F \subseteq S_F^*$ tells us which vertex-models intersect B (in other words, S_F is the boundary of $F[S_F^*]$), and the function ψ associates the sets in \mathcal{A} with the vertices in S_F . We can think of ψ as a coloring that colors the subsets in \mathcal{A} with colors given by the vertices in S_F . Note that several subsets in \mathcal{A} can have the same color $u \in S_F$, which means that the vertex-model of u in G is not connected yet, but it may get connected in further steps of the dynamic programming. Again, see [1] for the details.

It is proved in [1] that rooted packings allow to carry out dynamic programming in order to determine whether an input graph G contains a graph F as a minor. It is easy to see that the number of distinct rooted packings at a separator B is upper-bounded by $f(t, F) := 2^{t \log t} \cdot r^t \cdot 2r^2$, where $t \geq |B|$. In particular, this proves that when \mathcal{G} is the class of graphs excluding a fixed graph H on h vertices as a minor, then the index of the equivalence relation $\sim_{\mathcal{G}, t}$ is bounded by $2^{t \log t} \cdot h^t \cdot 2h^2$.

The encodings generator $\mathcal{C}^{\mathcal{EFP}}$. Let $G \in \mathcal{B}_t$ with boundary $\partial(G)$ labeled with $\Lambda(G)$. The function $\mathcal{C}^{\mathcal{EFP}}$ maps $\Lambda(G)$ to a set $\mathcal{C}^{\mathcal{EFP}}(\Lambda(G))$ of encodings. Each $R \in \mathcal{C}^{\mathcal{EFP}}(\Lambda(G))$ is a set of at most $|\Lambda(G)|$ rooted packings $\{(\mathcal{A}_i, S_{F_i}^*, S_{F_i}, \psi_i, \chi_i) \mid F_i \in \mathcal{F}\}$, where each such rooted packing encodes a potential model of a minor $F_i \in \mathcal{F}$ (multiple models of the same graph are allowed).

The language $L^{\mathcal{EFP}}$. For a packing of models \mathcal{S} , we say that (G, \mathcal{S}, R) belongs to the language $L^{\mathcal{EFP}}$ (or that \mathcal{S} is a packing of models *satisfying* R) if there is a packing of potential models matching with the rooted packings of R in $G \setminus \bigcup_{\Phi \in \mathcal{S}} \Phi(F)$.

Note that we allow the entirely realized models of \mathcal{S} to intersect $\partial(G)$ arbitrarily, but they must not intersect potential models imposed by R .

As mentioned in the introduction, the natural definition of the maximization function does not provide a confined encoder, hence we need to use the relevant function $\bar{f}_g^{\mathcal{EFP}}$. In order to define this function we note that, given a separator B and a subgraph G_B , a (partial) solution naturally induces an encoding $R_B \in \mathcal{C}^{\mathcal{EFP}}(\Lambda(G_B))$, where the rooted packings correspond to the intersection of models with B .

Formally, let G be a t -boundaried graph with boundary A and let \mathcal{S} be a partial solution satisfying some $R_A \in \mathcal{C}^{\mathcal{EFP}}(\Lambda(G))$. Let also \mathcal{P} be the set of potential models matching with the rooted packings in R_A . Given a bag B in G , we define the induced encoding $R_B = \{(\mathcal{A}_i, S_{F_i}^*, S_{F_i}, \psi_i, \chi_i) \mid \Phi_i \in \mathcal{S} \cup \mathcal{P}\} \in \mathcal{C}^{\mathcal{EFP}}(\Lambda(G_B))$ such that for each (potential) model $\Phi_i \in \mathcal{S} \cup \mathcal{P}$ of $F_i \in \mathcal{F}$ intersecting B ,

- \mathcal{A}_i contains elements of the form $B \cap C$, where C is a connected component of the graph induced by $V(\Phi_i(v)) \cap V(G_B)$, with $v \in V(F_i)$;
- ψ_i maps each element of \mathcal{A}_i to its corresponding vertex in F_i ; and
- $S_{F_i}^*, S_{F_i}$, correspond to the vertices of F_i whose vertex models intersect G_B and B , respectively.

Clearly, the set of models of \mathcal{S} entirely realized in G_B is a partial solution satisfying R_B .

Provided with a formal definition of an induced encoding, and following the description given in Section 4, we can state the definition of an irrelevant encoding for our problem. Let $G \in \mathcal{B}_t$ with

boundary A and let R_A be an encoding. An encoding R_A is *irrelevant* for $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}$ if there exists a certificate \mathcal{S} such that $(G, \mathcal{S}, R_A) \in L^{\mathcal{E}_{\mathcal{F}P}}$ and $|\mathcal{S}| = f^{\mathcal{E}_{\mathcal{F}P}}(G, R_A)$, and a separator $B \subseteq V(G)$ with $|B| \leq t$ and $B \neq A$, such that \mathcal{S} induces (as defined above) an encoder R_B in the graph $G_B \in \mathcal{B}_t$ with $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G_B, R_B) = -\infty$.

The function $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}$. Let $G \in \mathcal{B}_t$ with boundary A and let $g(t) = t$. We define the function $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}$ as

$$\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G, R_A) = \begin{cases} -\infty, & \text{if } f^{\mathcal{E}_{\mathcal{F}P}}(G, R_A) + g(t) < \max\{f^{\mathcal{E}_{\mathcal{F}P}}(G, R) : R \in \mathcal{C}^{\mathcal{E}_{\mathcal{F}P}}(\Lambda(G))\} \\ & \text{or if } R_A \text{ is irrelevant for } \bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}. \\ f^{\mathcal{E}_{\mathcal{F}P}}(G, R_A), & \text{otherwise.} \end{cases} \quad (5)$$

In the above equation, $f^{\mathcal{E}_{\mathcal{F}P}}$ is the natural maximization function associated with the encoder, that is, $f^{\mathcal{E}_{\mathcal{F}P}}(G, R)$ is the maximal number of (entire) models in G which do not intersect potential models imposed by R . Formally,

$$f^{\mathcal{E}_{\mathcal{F}P}}(G, R) = \max\{k : \exists \mathcal{S}, |\mathcal{S}| \geq k, (G, \mathcal{S}, R) \in L^{\mathcal{E}_{\mathcal{F}P}}\}.$$

The size of $\mathcal{E}_{\mathcal{F}P}$. Recall that $f(t, F) := 2^{t \log t} \cdot r^t \cdot 2^{r^2}$ is the number of rooted packings for a minor F of size r on a boundary of size t . If we let $r := \max_{F \in \mathcal{F}} |V(F)|$ and J be any set such that $\sum_{j \in J} j \leq t$, by definition of $\mathcal{E}_{\mathcal{F}P}$, it holds that

$$s_{\mathcal{E}_{\mathcal{F}P}}(t) \leq \left(\sum_{j \in J} 2^{j \log j} \cdot r^j \cdot 2^{r^2} \right) \leq \left(\sum_{j \in J} 2^{t \log t} \cdot r^t \right) \cdot 2^{r^2} \leq t \cdot 2^{t \log t} \cdot r^t \cdot 2^{r^2}. \quad (6)$$

Note that an encoding can also be seen as the rooted packing of the disjoint union of at most t minors of \mathcal{F} .

Fact 2 *Let $G \in \mathcal{B}_t$ with boundary A , let Φ be a model (resp. a potential model matching with a rooted packing defined on A) of a graph F in G , let B be a separator of G , and let $G_B \in \mathcal{B}_t$ be as in Definition 12. Let $(\mathcal{A}, S_F^*, S_F, \phi, \chi)$ be the rooted packing induced by Φ (as defined above). Let $G'_B \in \mathcal{B}_t$ with boundary B and let G' be the graph obtained by replacing G_B with G'_B . If G'_B has a potential model Φ'_B matching with $(\mathcal{A}, S_F^*, S_F, \phi, \chi)$, then G' has a model (resp. a potential model) of F .*

Proof: Let us build a model (resp. a potential model) Φ' of F in G' . For every vertex v in $V(F) \setminus S_F^*$, we set $\Phi'(v) = \Phi(v)$. For every vertex v in $S_F^* \setminus S_F$, we set $\Phi'(v) = \Phi'_B(v)$. For every vertex v in S_F , we set $\Phi'(v) = \Phi(v)[V(G) \setminus V(G_B)] \oplus \Phi'_B(v)$. As $\Phi(v)$ is connected and the connected components in $\Phi'_B(v)$ have the same boundaries than the ones in $\Phi(v)[V(G_B)]$ (by definition of rooted packing), it follows that $\Phi'(v)$ is connected. Note that $\Phi'(v)$ do not intersect $\Phi'(u)$, since $\Phi(v), \Phi'_B(v)$ do not intersect $\Phi'(u)$ for any $u \in V(F)$.

For every edge e in $V(F) \times V(F) \setminus S_F^*$ or such that $\chi(e) = 0$ we set $\Phi'(e) = \Phi(e)$. For every edge e in $S_F^* \times S_F^* \setminus S_F$ or such that $\chi(e) = 1$ we set $\Phi'(e) = \Phi'_B(e)$. Since B is a separator in G , S_F is a separator in F and there is no edge in $V(F) \setminus S_F^* \times S_F^* \setminus S_F$. Since Φ, Φ'_B are (potential) models, the edges $\Phi'(e), e \in E(F)$ are obviously distinct and if $e = \{u, v\}$, then $\Phi'(e)$ as one endpoint in $\Phi'(u)$ and the other in $\Phi'(v)$. \square

Lemma 6. *The encoder $\mathcal{E}_{\mathcal{F}P}$ is a g -confined cFP-encoder for $g(t) = t$. Furthermore, if \mathcal{G} is an arbitrary class of graphs, then the equivalence relation $\sim_{\mathcal{E}_{\mathcal{F}P}, \mathcal{G}, t}^*$ is DP-friendly.*

Proof: Let us first show that the encoder $\mathcal{E}_{\mathcal{F}P}$ is a cFP-encoder. Indeed, if G is a 0-boundaried graph, then $\mathcal{C}^{\mathcal{E}_{\mathcal{F}P}}(\emptyset)$ consists of a single encoding R_\emptyset (an empty set of rooted packings), and by definition of $L^{\mathcal{E}_{\mathcal{F}P}}$, any \mathcal{S} such that $(G, \mathcal{S}, R_\emptyset) \in L^{\mathcal{E}_{\mathcal{F}P}}$ is a packing of models. According to Equation (5), there are two possible values for $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G, R_\emptyset)$: either $f^{\mathcal{E}_{\mathcal{F}P}}(G, R_\emptyset)$, which by definition equals $f^\Pi(G)$, or $-\infty$. Let \mathcal{S} be a packing of models of size $f^\Pi(G)$, and assume for contradiction that $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G, R_\emptyset) = -\infty$. Then, by a recursive argument we can assume that there is a separator B of size at most t and a subgraph G_B of G as in Definition 12, such that \mathcal{S} induces R_B and $f^{\mathcal{E}_{\mathcal{F}P}}(G_B, R_B) + t < \max\{f^{\mathcal{E}_{\mathcal{F}P}}(G, R) : R \in \mathcal{C}^{\mathcal{E}_{\mathcal{F}P}}(I)\}$. Let M be the set of models entirely realized in G_B . We have $|M| = f^{\mathcal{E}_{\mathcal{F}P}}(G_B, R_B)$, as otherwise \mathcal{S} is not maximal. Let M_B be the set of models intersecting B , so we have $|M_B| \leq t$. Finally, let M_0 be a packing of models in G_B of

size $\max\{f^{\mathcal{E}_{\mathcal{F}P}}(G, R), R \in \mathcal{C}^{\mathcal{E}_{\mathcal{F}P}}(I)\}$. Clearly, $\mathcal{S} \setminus (M \cup M_B) \cup M_0$ is a packing of models smaller than \mathcal{S} (by optimality), that is, $|M_0| \leq |M| + t$, a contradiction with the definition of $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}$. Hence $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G, R_0) = f^{\Pi}(G)$.

By definition of the function $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}$, the encoder $\mathcal{E}_{\mathcal{F}P}$ is g -confined for $g : t \mapsto t$.

It remains to prove that the equivalence relation $\sim_{\mathcal{E}_{\mathcal{F}P}, g, t}^*$ is DP-friendly for $g(t) = t$. Due to Fact 1, it suffices to prove that $\sim_{\mathcal{E}_{\mathcal{F}P}, t}^*$ is DP-friendly. Let $G \in \mathcal{B}_t$ with boundary A , let B be any separator of G , and let G_B be as in Definition 12. The subgraph G_B can be viewed as a t -boundaried graph with boundary B . We define $H \in \mathcal{B}_t$ to be the graph induced by $V(G) \setminus (V(G_B) \setminus B)$, with boundary B (that is, we forget boundary A) labeled in the same way than G_B . Let $G'_B \in \mathcal{B}_t$ such that $G_B \sim_{\mathcal{E}_{\mathcal{F}P}, t}^* G'_B$ and let $G' = H \oplus G'_B$, with boundary A . We have to prove that $G \sim_{\mathcal{E}_{\mathcal{F}P}, t}^* G'$ and $\Delta_{\mathcal{E}_{\mathcal{F}P}, t}(G, G') = \Delta_{\mathcal{E}_{\mathcal{F}P}, t}(G_B, G'_B)$, that is, that $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G, R_A) = \bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G', R_A) + \Delta_{\mathcal{E}_{\mathcal{F}P}, t}(G_B, G'_B)$ for all $R_A \in \mathcal{C}^{\mathcal{E}_{\mathcal{F}P}}(\Lambda(G))$.

Let R_A be an encoding defined on A . Assume first that $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G, R_A) \neq -\infty$. Let $\mathcal{S} = M \cup M_B \cup M_H$ be a packing of models satisfying R_A with size $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G, R_A)$ in G , with M being the set of models entirely contained in G_B , M_H the set of models entirely contained in $V(H) \setminus B$, and M_B the set of models intersecting B and H . Notice that M, M_B, M_H is a partition of \mathcal{S} . Let \mathcal{P} be the set of potential models matching with the rooted packings in R_A . Let also $R_B \in \mathcal{C}^{\mathcal{E}_{\mathcal{F}P}}(\Lambda(G_B))$ be the encoding induced by $\mathcal{S} \cup \mathcal{P}$.

Observe that $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G_B, R_B) \neq -\infty$, as otherwise, by definition of the relevant function $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}$, we would have that $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G, R_A) = -\infty$. Also, by construction of R_B it holds that $|M| = \bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G_B, R_B)$, as otherwise \mathcal{S} would not be not maximum. Let M' be a packing of models of \mathcal{F} in G'_B such that $(G'_B, M', R) \in L^{\mathcal{E}_{\mathcal{F}P}}$ and of maximum cardinality, that is, such that $|M'| = \bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G'_B, R_B)$. Consider now the potential models matching with R_B . There are two types of such potential models. The first ones match with rooted packings defined by the intersection of models in \mathcal{S} and B ; we glue them with the potential models defined by $H \cap M_B$ to construct M'_B . The other ones match with rooted packings defined by the intersection of potential model in \mathcal{P} and B ; we glue them with the potential models defined by $H \cap \mathcal{P}$ to construct \mathcal{P}' . Observe that $|M_B| = |M'_B|$. As $G_B \sim_{\mathcal{E}_{\mathcal{F}P}, t}^* G'_B$ and $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G_B, R_B) \neq -\infty$, we have that $|M'| = \bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G_B, R_B) + \Delta_{\mathcal{E}_{\mathcal{F}P}, t}(G_B, G'_B)$, and therefore $|M' \cup M'_B \cup M_H| = \bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G_B, R_B) + \Delta_{\mathcal{E}_{\mathcal{F}P}, t}(G_B, G'_B) + |M_B| + |M_H| = \bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G, R_A) + \Delta_{\mathcal{E}_{\mathcal{F}P}, t}(G_B, G'_B)$.

By definition we have that M_H and M' are packings of models. The set M'_B contains vertex-disjoint models by Fact 2. Note that models in $M_H \cup M'$ are vertex-disjoint (because $V(H) \cap V(G_B) = \emptyset$), models in $M_H \cup M'_B$ are vertex-disjoint (because the ones in $M_H \cup M_B$ are vertex-disjoint), and models in $M' \cup M'_B$ are vertex-disjoint (because M' satisfies R_B). Hence $M_H \cup M' \cup M'_B$ is a packing of models.

It remains to prove that $M_H \cup M' \cup M'_B$ satisfies R_A . The set \mathcal{P}' contains vertex-disjoint potential models by Fact 2. Models in $\mathcal{P}' \cup M'$ are vertex-disjoint, as M'_B satisfies R_B . Models in $\mathcal{P}' \cup M'_B$ are vertex-disjoint by definition of R_B . Finally, models in $\mathcal{P}' \cup M_H$ are vertex-disjoint since \mathcal{S} satisfies R_A .

It follows that G' has a packing of models satisfying R_A of size $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G, R_A) + \Delta_{\mathcal{E}_{\mathcal{F}P}, t}(G_B, G'_B)$, that is, $G \sim_{\mathcal{E}_{\mathcal{F}P}, t}^* G'$ and $\Delta_{\mathcal{E}_{\mathcal{F}P}, t}(G, G') = \Delta_{\mathcal{E}_{\mathcal{F}P}, t}(G_B, G'_B)$.

Assume now that $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G, R_A) = -\infty$. If $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G', R_A) \neq -\infty$, then applying the same arguments as above we would have that $\bar{f}_g^{\mathcal{E}_{\mathcal{F}P}}(G, R_A) \neq -\infty$, a contradiction. \square

C.3 A linear kernel for \mathcal{F} -Packing

We are now ready to provide a linear kernel for CONNECTED-PLANAR- \mathcal{F} -PACKING.

Theorem 5. *Let \mathcal{F} be a finite family of connected graphs containing at least one planar graph on r vertices, let H be an h -vertex graph, and let \mathcal{G} be the class of H -minor-free graphs. Then $\text{CPFP}_{\mathcal{G}}$ admits a constructive linear kernel of size at most $f(r, h) \cdot k$, where f is an explicit function depending only on r and h , defined in Equation (7).*

Proof: By Lemma 5, given an instance (G, k) we can either conclude that (G, k) is a YES-instance of CPFP_H , or build in linear time an $((\alpha_H \cdot t) \cdot k', 2t + h)$ -protrusion decomposition of G , where α_H, t, k' are defined in the proof of Lemma 5.

We now consider the encoder $\mathcal{E}_{\mathcal{FP}}$ defined in Subsection C.2. By Lemma 6, $\mathcal{E}_{\mathcal{FP}}$ is a g -confined $\text{CPFP}_{\mathcal{G}}$ -encoder and $\sim_{\mathcal{E}_{\mathcal{FP}}, \mathcal{G}, t}^*$ is DP-friendly, where $g(t) = t$ and \mathcal{G} is the class of H -minor-free graphs. An upper bound on $s_{\mathcal{E}_{\mathcal{FP}}}(t)$ is given in Equation (6). Therefore, we are in position to apply Corollary 1 and obtain a linear kernel for CPFP_H of size at most

$$(\alpha_H \cdot t) \cdot (b(\mathcal{E}_{\mathcal{FP}}, g, t, \mathcal{G}) + 1) \cdot k', \text{ where} \quad (7)$$

- $b(\mathcal{E}_{\mathcal{FP}}, g, t, \mathcal{G})$ is the function defined in Lemma 3;
- t is the bound on the treewidth provided by Corollary 2;
- k' is the parameter of \mathcal{F} -DELETION provided by Theorem 3; and
- α_H is the constant provided by Theorem 2. □

By using the recent results of Chekuri and Chuzhoy [8], it can be shown that the factor $\alpha_H = O(h^2 2^{O(h \log h)})$ in Theorem 3 can be replaced with $h^{O(1)}$. However, in this case this would not directly translate into an improvement of the size of the kernel given in Equation (7), as the term $h^{O(1)}$ would be dominated by the term $f_m(h) = 2^{O(h^2 \log h)}$.

D Application to ℓ - \mathcal{F} -Packing

We now consider the scattered version of the packing problem. Given a finite set of graphs \mathcal{F} and a positive integer ℓ , the ℓ - \mathcal{F} -PACKING problem is defined as follows.

ℓ - \mathcal{F} -PACKING

Instance: A graph G and a non-negative integer k .

Parameter: The integer k .

Question: Does G have k subgraphs G_1, \dots, G_k pairwise at distance at least ℓ , each containing some graph from \mathcal{F} as a minor?

We again consider the version of the problem where all the graphs in \mathcal{F} are connected and at least one is planar, called $\text{CONNECTED-PLANAR-}\ell$ - \mathcal{F} -PACKING ($\text{CP}\ell\mathcal{FP}$).

We obtain a linear kernel for $\text{CONNECTED-PLANAR-}\ell$ - \mathcal{F} -PACKING on the family of graphs excluding a fixed apex graph H as a minor. We use again the notions of model, packing of model, and rooted packing.

D.1 A protrusion decomposition for an instance of ℓ - \mathcal{F} -Packing

In order to obtain a linear protrusion decomposition for ℓ - \mathcal{F} -PACKING, a natural idea could be to prove an Erdős-Pósa property at distance ℓ , generalizing the approach for \mathcal{F} -PACKING described in Section C. Unfortunately, the best known Erdős-Pósa relation between a maximum ℓ - \mathcal{F} -packing and a minimum ℓ - \mathcal{F} -deletion set is not linear. Indeed, by following and extending the ideas of Giannopoulou [24, Theorem 8.7 in Section 8.4] for the special case of cycles, it is possible to derive a bound of $O(k\sqrt{k})$, which is superlinear, and therefore not enough for our purposes. Proving a linear bound for this Erdős-Pósa relation, or finding a counterexample, is an exciting topic for further research.

We will use another trick to obtain the decomposition: we will (artificially) consider the ℓ - \mathcal{F} -PACKING problem as a vertex-certifiable problem. Hence we propose the formulation described below, which is clearly equivalent to the previous one. Using such a formulation, a natural question is whether the ℓ - \mathcal{F} -PACKING problem can fit into the framework for vertex-certifiable problems [23]. However, finding an appropriate encoder for this formulation does not seem an easy task, and it is more convenient to describe the encoder for ℓ - \mathcal{F} -PACKING using the new framework designed for packing problems.

ℓ - \mathcal{F} -PACKING

Instance: A graph G and a non-negative integer k .

Parameter: the integer k .

Question: Does G have a set $\{v_1, \dots, v_k\}$ of k vertices such that every v_i belongs to a subgraph G_i of G with G_1, \dots, G_k pairwise at distance at least ℓ and each containing some graph from \mathcal{F} as a minor?

With such a formulation, we are in position to use some powerful results from Bidimensionality theory. It is not so difficult to see that, the ℓ - \mathcal{F} -PACKING problem is *contraction-bidimensional* [21]. Then we can use Theorem 4 and obtain the following corollary. Again, the bound on the treewidth is derived from the proof of Theorem 4 in [21].

Corollary 3. *Let \mathcal{F} be a finite set of graphs containing at least one r -vertex planar graph F , let H be an h -vertex apex graph, and let \mathcal{G} be the class of H -minor-free graphs. If $(G, k) \in \text{PLFP}_{\mathcal{G}}$, then there exists a set $X \subseteq V(G)$ such that $|X| = k$ and $\text{tw}(G - X) = O((2r + \ell)^{3/2} \cdot \tau_H^3 \cdot f_c(h)^3)$. Moreover, given an instance (G, k) with $|V(G)| = n$, there is an algorithm running in time $O(n^3)$ that either finds such a set X or correctly reports that $(G, k) \notin \text{PLFP}_{\mathcal{G}}$.*

We are now able to construct a linear protrusion decomposition.

Lemma 7. *Let \mathcal{F} be a finite set of graphs containing at least one r -vertex planar graph F , let H be an h -vertex apex graph, and let \mathcal{G} be the class of H -minor-free graphs. Let (G, k) be an instance of CONNECTED PLANAR- ℓ - \mathcal{F} -PACKING. If $(G, k) \in \text{CPLFP}_{\mathcal{G}}$, then we can construct in polynomial time a linear protrusion decomposition of G .*

Proof: Given an instance (G, k) of $\text{CPLFP}_{\mathcal{G}}$, we run the algorithm given by Corollary 3. If the algorithm is not able to find a treewidth-modulator X of size $|X| = k$, then by Theorem 3 we can conclude that $(G, k) \notin \text{CPLFP}_{\mathcal{G}}$. Otherwise, we use the set X as input to the algorithm given by Theorem 2, which outputs in linear time an $((\alpha_H \cdot t) \cdot k, 2t + h)$ -protrusion decomposition of G , where

- $t = O((r + \ell)^{3/2} \cdot \tau_H^3 \cdot f_c(h)^3)$ is provided by Corollary 3; and
- $\alpha_H = O(h^2 2^{O(h \log h)})$ is the constant provided by Theorem 2.

This is an $(h^2 \cdot 2^{O(h \log h)} \cdot (r + \ell)^{3/2} \cdot \tau_H^3 \cdot f_c(h)^3 \cdot k, O((r + \ell)^{3/2} \cdot \tau_H^3 \cdot f_c(h)^3))$ -protrusion decomposition of G . \square

D.2 An encoder for ℓ - \mathcal{F} -Packing

Our encoder $\mathcal{E}_{\ell\mathcal{F}P}$ for ℓ - \mathcal{F} -PACKING is a combination of the encoder for \mathcal{F} -PACKING and the one for ℓ -SCATTERED SET that we defined in [23].

The encodings generator $\mathcal{C}^{\mathcal{E}_{\ell\mathcal{F}P}}$. Let $G \in \mathcal{B}_t$ with boundary $\partial(G)$ labeled with $\Lambda(G)$. The function $\mathcal{C}^{\mathcal{E}_{\ell\mathcal{F}P}}$ maps $\Lambda(G)$ to a set $\mathcal{C}^{\mathcal{E}_{\ell\mathcal{F}P}}(\Lambda(G))$ of encodings. Each $R \in \mathcal{C}^{\mathcal{E}_{\ell\mathcal{F}P}}(\Lambda(G))$ is a pair (R_P, R_S) , where

- R_P is a set of at most $|\Lambda(G)|$ rooted packings $\{(\mathcal{A}_i, S_{F_i}^*, S_{F_i}, \phi_i, \chi_i) \mid i \in \Lambda(G), F_i \in \mathcal{F}\}$, where each such rooted packing encodes a potential model of a minor $F_i \in \mathcal{F}$ (that is, R_P is an encoding of \mathcal{F} -PACKING); and
- R_S maps label $j \in \Lambda(G)$ to an $|\Lambda(G)|$ -tuple $(d, d_i, i \in \Lambda(G), i \neq j) \in [0, \ell + 1]^{|\Lambda(G)|}$ (that is, R_S is an encoding of ℓ -SCATTERED SET), for simplicity, since each label in $\Lambda(G)$ is uniquely associated with a vertex in $\partial(G)$, we denote by $R(v)$ the vector assigned by R_S to label $\lambda(v)$.

The language $L^{\mathcal{E}_{\ell\mathcal{F}P}}$. For a packing of models \mathcal{S} , we say that (G, \mathcal{S}, R) belongs to the language $L^{\mathcal{E}_{\ell\mathcal{F}P}}$ (or that \mathcal{S} is a packing of models *satisfying* R) if

- the models are pairwise at distance at least ℓ , that is, for each $\Phi_1, \Phi_2 \in \mathcal{S}$ models of $F_1, F_2 \in \mathcal{F}$, respectively, $d_G(V(\Phi_1(F_1)), V(\Phi_2(F_2))) \geq \ell$;
- there is a packing of potential models matching with the rooted packings of R_P pairwise at distance at least ℓ and at distance at least ℓ from $\bigcup_{\Phi \in \mathcal{S}} \Phi(F)$; and
- for any vertex $v \in \partial(G)$, if $(d, d_i) = R(v)$ then $d_G(v, \mathcal{S} \cup \mathcal{P}) \geq d$, and $d_G(v, w) \geq d_{\lambda(w)}$, for any $w \in \partial(G)$.

Similarly to \mathcal{F} -PACKING, we need the relevant version of the function $\bar{f}_g^{\mathcal{E}_{\ell\mathcal{F}P}}$. Let $G \in \mathcal{B}_t$ with boundary A and let \mathcal{S} be a partial solution satisfying some $R_A \in \mathcal{C}^{\mathcal{E}_{\ell\mathcal{F}P}}(\Lambda(G))$. Let also \mathcal{P} be the set of potential models matching with the rooted packings in R_A . Given a separator B in G , and G_B as in Definition 12, we define the induced encoding $R_B = (R_P, R_S)$ as follows:

- R_P is defined by the intersection of B with models in $\mathcal{S} \cup \mathcal{P}$, (as for \mathcal{F} -PACKING); and
- R_S maps each $v \in B$ to $R(v) = (d_{G_B}(v, \mathcal{S} \cup \mathcal{P}), d_{G_B}(v, w), w \in B)$.

The set of models of \mathcal{S} entirely realized in G_B is a partial solution satisfying R_B .

The definition of an irrelevant encoding is as described in Section 4.

The function $\bar{f}_g^{\mathcal{E}_{\mathcal{LFP}}}$. Let $G \in \mathcal{B}_t$ with boundary A and let $g(t) = 2t$. We define $\bar{f}_g^{\mathcal{E}_{\mathcal{LFP}}}$ as

$$\bar{f}_g^{\mathcal{E}_{\mathcal{LFP}}}(G, R_A) = \begin{cases} -\infty, & \text{if } f^{\mathcal{E}_{\mathcal{LFP}}}(G, R_A) + 2t < \max\{f^{\mathcal{E}_{\mathcal{LFP}}}(G, R) : R \in \mathcal{C}^{\mathcal{E}_{\mathcal{LFP}}}(\Lambda(G))\}, \\ & \text{or if } R_A \text{ is irrelevant for } \bar{f}_g^{\mathcal{E}_{\mathcal{LFP}}}. \\ f^{\mathcal{E}_{\mathcal{LFP}}}(G, R_A), & \text{otherwise.} \end{cases} \quad (8)$$

In the above equation, $f^{\mathcal{E}_{\mathcal{LFP}}}$ is the natural optimization function defined as

$$f^{\mathcal{E}_{\mathcal{LFP}}}(G, R) = \max\{k : \exists \mathcal{S}, |\mathcal{S}| \geq k, (G, \mathcal{S}, R) \in L^{\mathcal{E}_{\mathcal{LFP}}}\}. \quad (9)$$

Size of $\mathcal{E}_{\mathcal{LFP}}$. Since $\mathcal{C}^{\mathcal{E}_{\mathcal{LFP}}}(I) = \mathcal{C}^{\mathcal{E}_{\mathcal{FP}}} \times ([0, \ell + 1]^t)^t$, it holds that

$$s_{\mathcal{E}_{\mathcal{LFP}}}(t) \leq s_{\mathcal{E}_{\mathcal{FP}}}(t) \times (\ell + 2)^{t^2}. \quad (10)$$

Lemma 8. *The encoder $\mathcal{E}_{\mathcal{LFP}}$ is a g -confined clFP -encoder for $g(t) = 2t$. Furthermore, if \mathcal{G} is an arbitrary class of graphs, then the equivalence relation $\sim_{\mathcal{E}_{\mathcal{LFP}}, \mathcal{G}, t}^*$ is DP-friendly.*

Proof: We first prove that $\mathcal{E}_{\mathcal{LFP}}$ is a clFP -encoder. Obviously, $\{(G, \mathcal{S}) : (G, \mathcal{S}, R_\emptyset) \in L^{\mathcal{E}_{\mathcal{LFP}}}, R_\emptyset \in \mathcal{C}^{\mathcal{E}_{\mathcal{LFP}}}(\emptyset)\} = L^{\mathcal{H}}$. As in the proof of Lemma 6, in order to show that $f^{\mathcal{E}_{\mathcal{LFP}}}(G, R_\emptyset) \neq -\infty$ we prove that the value computed by $\bar{f}_g^{\mathcal{E}_{\mathcal{LFP}}}$ has not been truncated. Let G, G_B and $\mathcal{S}, M, M_H, M_B, M_0$ as in proof of Lemma 6, and let $M_0^* = M_0 \setminus \{\Phi(F) : \Phi(F) \cap N_{r/2}(B) \neq \emptyset, F \in \mathcal{F}\}$ and $M_H^* = M_H \setminus \{\Phi(F) : \Phi(F) \cap N_{r/2}(B) \neq \emptyset, F \in \mathcal{F}\}$. $M_0^* \cup M_H^*$ is a scattered packing of size at least $|\mathcal{S}| - 2t$.

The encoder $\mathcal{E}_{\mathcal{LFP}}$ is g -confined for $g : t \mapsto 2t$ by definition of $\bar{f}_g^{\mathcal{E}_{\mathcal{LFP}}}$.

Following the proof of Lemma 6 again, let $G, G' \in \mathcal{B}_t$ with boundary A and let $G_B, G'_B, H \in \mathcal{B}_t$ with boundary B . We have to prove that $\bar{f}_g^{\mathcal{E}_{\mathcal{LFP}}}(G, R_A) = \bar{f}_g^{\mathcal{E}_{\mathcal{LFP}}}(G', R_A) + \Delta_{\mathcal{E}_{\mathcal{LFP}}, t}(G_B, G'_B)$ for every $R_A \in \mathcal{C}^{\mathcal{E}_{\mathcal{LFP}}}(\Lambda(G))$.

Let R_A be an encoding defined on A . Assume that $\bar{f}_g^{\mathcal{E}_{\mathcal{LFP}}}(G, R_A) \neq -\infty$. Let $\mathcal{S} = M \cup M_B \cup M_H$ be a packing of models satisfying R_A with size $\bar{f}_g^{\mathcal{E}_{\mathcal{LFP}}}(G, R_A)$ in G , with M, M_B, M_H as in the proof of Lemma 6. Let also \mathcal{P} be the set of potential models matching with R_A and let $R_B \in \mathcal{C}^{\mathcal{E}_{\mathcal{LFP}}}(\Lambda(G_B))$ be the encoding induced by $\mathcal{S} \cup \mathcal{P}$.

Observe that, by definition, $\bar{f}_g^{\mathcal{E}_{\mathcal{LFP}}}(G_B, R_B) \neq -\infty$. Hence there is a packing M' in G'_B of maximum cardinality and such that $(G'_B, M', R) \in L^{\mathcal{E}_{\mathcal{LFP}}}$. As in the proof of Lemma 6, we can define M'_B to be the set of models obtained from the potential models defined by the intersection of models in M_B with H , glued to the ones in G'_B matching with R_B . We can also define \mathcal{P}' to be the set of potential models obtained from the potential models defined by the intersection of models in M_B with H , glued to the ones in G'_B matching with R_B . As $G_B \sim_{\mathcal{E}_{\mathcal{LFP}}, t}^* G'_B$ and following the argumentation in Lemma 6 we have that $|M' \cup M'_B \cup M_H| = \bar{f}_g^{\mathcal{E}_{\mathcal{LFP}}}(G, R_A) + \Delta_{\mathcal{E}_{\mathcal{LFP}}, t}(G_B, G'_B)$.

We already have that $\mathcal{S}' = M_H \cup M' \cup M'_B$ is a packing of models according to the proof of Lemma 6. It remains to prove that (potential) models in $\mathcal{S}' \cup \mathcal{P}'$ are pairwise at distance at least ℓ . We follow the proof of [23, Lemma 6]. Let P be a shortest path between any two models in $\mathcal{S}' \cup \mathcal{P}'$. We subdivide P into maximal subpaths in G'_B and maximal subpaths in H . Clearly the length of a subpath in H does not change. Moreover, note that the length of a subpath in G'_B with extremities $v, w \in B$ is at least $d_{G_B}(v, w)$, by definition of R_B . Note also that the length of a subpath in G'_B with an extremity in a model and the other $v \in B$ is at least $d_{G_B}(v, \mathcal{S})$, also by definition of R_B . Therefore, the distance between any two models is indeed at least ℓ .

It follows that G' has a scattered packing of models satisfying R_A of size $\bar{f}_g^{\mathcal{E}_{\mathcal{LFP}}}(G, R_A) + \Delta_{\mathcal{E}_{\mathcal{LFP}}, t}(G_B, G'_B)$, that is, $G \sim_{\mathcal{E}_{\mathcal{LFP}}, t}^* G'$ and $\Delta_{\mathcal{E}_{\mathcal{LFP}}, t}(G, G') = \Delta_{\mathcal{E}_{\mathcal{LFP}}, t}(G_B, G'_B)$. The case where $\bar{f}_g^{\mathcal{E}_{\mathcal{LFP}}}(G, R_A) = -\infty$ is easily handled as in Lemma 6. \square

D.3 A linear kernel for ℓ - \mathcal{F} -Packing

We are now ready to provide a linear kernel for CONNECTED-PLANAR- ℓ - \mathcal{F} -PACKING.

Theorem 6. *Let \mathcal{F} be a finite family of connected graphs containing at least one planar graph on r vertices, let H be an h -vertex apex graph, and let \mathcal{G} be the class of H -minor-free graphs. Then $\text{CPLFP}_{\mathcal{G}}$ admits a constructive linear kernel of size at most $f(r, h, \ell) \cdot k$, where f is an explicit function depending only on r , h , and ℓ , defined in Equation (11).*

Proof: By Lemma 7, given an instance (G, k) we can either report that (G, k) is a YES-instance of CPLFP_H , or build in linear time an $((\alpha_H \cdot t) \cdot k, 2t + h)$ -protrusion decomposition of G , where α_H and t are defined in the proof of Lemma 7.

We now consider the encoder \mathcal{E}_{LFP} defined in Subsection D.2. By Lemma 8, \mathcal{E}_{LFP} is a g -confined $\text{CPLFP}_{\mathcal{G}}$ -encoder and $\sim_{\mathcal{E}_{\text{LFP}}, \mathcal{G}, t}^*$ is DP-friendly, where $g(t) = 2t$ and \mathcal{G} is the class of H -minor-free graphs. An upper bound on $s_{\mathcal{E}_{\text{LFP}}}(t)$ is given in Equation (10). Therefore, we are in position to apply Corollary 1 and obtain a linear kernel for CPLFP_H of size at most

$$(\alpha_H \cdot t) \cdot (b(\mathcal{E}_{\text{LFP}}, g, t, \mathcal{G}) + 1) \cdot k', \text{ where} \quad (11)$$

- $b(\mathcal{E}_{\text{LFP}}, g, t, \mathcal{G})$ is the function defined in Lemma 3;
- t is the bound on the treewidth provided by Corollary 3; and
- α_H is the constant provided by Theorem 2.

□

E Application to \mathcal{F} -Packing with ℓ -Membership

Now we consider a generalization of the \mathcal{F} -PACKING problem that allows models to be *close* to each other (conversely to ℓ - \mathcal{F} -PACKING, which asks for scattered models). That is, we consider the version for minors of the \mathcal{F} -SUBGRAPH-PACKING WITH ℓ -MEMBERSHIP defined in [16]. Let \mathcal{F} be a finite set of graphs. For every integer $\ell \geq 1$, we define the \mathcal{F} -PACKING WITH ℓ -MEMBERSHIP problem as follows.

<p>\mathcal{F}-PACKING WITH ℓ-MEMBERSHIP</p> <p>Instance: A graph G and a non-negative integer k.</p> <p>Parameter: The integer k.</p> <p>Question: Does G have k subgraphs G_1, \dots, G_k such that each subgraph contains some graph from \mathcal{F} as a minor, and each vertex of G belongs to at most ℓ subgraphs?</p>

We again consider the version of the problem where all the graphs in \mathcal{F} are connected and at least one is planar, called CONNECTED-PLANAR- \mathcal{F} -PACKING WITH ℓ -MEMBERSHIP (CP \mathcal{F} PLM).

We obtain a linear kernel for CONNECTED-PLANAR- \mathcal{F} -PACKING WITH ℓ -MEMBERSHIP on the family of graphs excluding a fixed graph H as a minor. We use again the notions of model, packing of models, and rooted packing.

Now, for an arbitrary graph, a certificate for \mathcal{F} -PACKING WITH ℓ -MEMBERSHIP is a *packing of models with ℓ -membership*, defined as follows.

Definition 18. *Given a set \mathcal{F} of minors and a graph G , a packing of models with ℓ -membership \mathcal{S} is a set of models such that each vertex of G belongs to at most ℓ models, that is, to at most ℓ subgraphs $\Phi(F)$ for $\Phi \in \mathcal{S}, F \in \mathcal{F}$.*

Note that the above definition is equivalent to saying that each vertex of G belongs to at most ℓ vertex-models, since vertex-models of a model are vertex-disjoint.

E.1 A protrusion decomposition for an instance of \mathcal{F} -Packing with ℓ -Membership

In order to find a linear protrusion decomposition, we use again the *Erdős-Pósa property*, as we did in Subsection C.1. The construction of a linear protrusion decomposition becomes straightforward from the fact that a packing of models is in particular a packing of models with ℓ -membership for every integer $\ell \geq 1$.

Lemma 9. *Let \mathcal{F} be a finite set of graphs containing at least one r -vertex planar graph F , let H be an h -vertex graph, and let \mathcal{G} be the class of H -minor-free graphs. Let (G, k) be an instance of $\text{CPFP}\ell\text{M}_{\mathcal{G}}$. If $(G, k) \notin \text{CPFP}\ell\text{M}_{\mathcal{G}}$, then we can construct in polynomial time a linear protrusion decomposition of G .*

Proof: It suffices to note that if \mathcal{S} is a packing of models of size k , then it is in particular a packing of models with ℓ -membership for every integer $\ell \geq 1$. Hence, if $(G, k) \notin \text{CPFP}r\text{M}_{\mathcal{G}}$ then $(G, k) \notin \text{CPFP}_{\mathcal{G}}$ and we can apply Lemma 5. \square

E.2 An encoder for \mathcal{F} -Packing with ℓ -Membership

Our encoder $\mathcal{E}_{\mathcal{F}\text{P}\ell\text{M}}$ for \mathcal{F} -PACKING WITH ℓ -MEMBERSHIP uses again the notion of rooted packing, but now we allow the rooted packings to intersect.

The encodings generator $\mathcal{C}^{\mathcal{E}_{\mathcal{F}\text{P}\ell\text{M}}}$. Let $G \in \mathcal{B}_t$ with boundary $\partial(G)$ labeled with $\Lambda(G)$. The function $\mathcal{C}^{\mathcal{E}_{\mathcal{F}\text{P}\ell\text{M}}}$ maps $\Lambda(G)$ to a set $\mathcal{C}^{\mathcal{E}_{\mathcal{F}\text{P}\ell\text{M}}}(\Lambda(G))$ of encodings. Each $R \in \mathcal{C}^{\mathcal{E}_{\mathcal{F}\text{P}\ell\text{M}}}(\Lambda(G))$ is a set of at most $\ell \cdot |\Lambda(G)|$ rooted packings $\{(\mathcal{A}_i, \mathcal{S}_{F_i}^*, \mathcal{S}_{F_i}, \phi_i, \chi_i) \mid F_i \in \mathcal{F}\}$, where each such rooted packing encodes a potential model of a minor $F_i \in \mathcal{F}$ (multiple models of the same graph are allowed).

The language $L^{\mathcal{E}_{\mathcal{F}\text{P}\ell\text{M}}}$. For a packing of models with ℓ -membership \mathcal{S} , we say that (G, \mathcal{S}, R) belongs to the language $L^{\mathcal{E}_{\mathcal{F}\text{P}\ell\text{M}}}$ (or that \mathcal{S} is a packing of models with ℓ -membership *satisfying* R) if there is a packing of potential models with ℓ -membership matching with the rooted packings of R in $G \setminus \{u : u \in \Phi_1(F_1), \dots, u \in \Phi_{\ell}(F_{\ell}); \Phi_i \in \mathcal{S}, F_i \in \mathcal{F}\}$, that is, such that each vertex belongs to at most ℓ models or potential models.

The function $\tilde{f}_g^{\mathcal{E}_{\mathcal{F}\text{P}\ell\text{M}}}$. Similarly to \mathcal{F} -PACKING, we need the relevant version of the function $\tilde{f}_g^{\mathcal{E}_{\mathcal{F}\text{P}\ell\text{M}}}$. The function $\tilde{f}_g^{\mathcal{E}_{\mathcal{F}\text{P}\ell\text{M}}}$ is defined exactly as the one for \mathcal{F} -PACKING in Section C (in particular, the encoding induced by a partial solution is also the set of rooted packings defined by the intersection of the partial solution and the separator).

The size of $\mathcal{E}_{\mathcal{F}\text{P}\ell\text{M}}$. Note that the encoder contains at most ℓt rooted packings on a boundary of size t . Hence, if we let $r := \max_{F \in \mathcal{F}} |V(F)|$, and J be any set such that $\sum_{j \in J} j \leq \ell t$ and $\forall j \in J, j \leq t$, by definition of $\mathcal{E}_{\mathcal{F}\text{P}\ell\text{M}}$ it holds that

$$s_{\mathcal{E}_{\mathcal{F}\text{P}\ell\text{M}}}(t) \leq \ell t \cdot 2^{t \log t} \cdot r^t \cdot 2^{r^2}.$$

It just remains to prove that the relation $\sim_{\mathcal{E}_{\mathcal{F}\text{P}\ell\text{M}}, \mathcal{G}, t}^*$ is DP-friendly. Note that in the encoder, the only difference with respect to \mathcal{F} -PACKING is that rooted packings are now allowed to intersect. Namely, the constraint on the intersection is that each vertex belongs to at most ℓ models. This constraint can easily be verify locally, so no information has to be transmitted through the separator. Hence, the proof of the following lemma is exactly the same as the proof of Lemma 6, and we omit it.

Lemma 10. *The encoder $\mathcal{E}_{\mathcal{F}\text{P}\ell\text{M}}$ is a g -confined $\text{CFP}\ell\text{M}$ -encoder for $g(t) = t$. Furthermore, if \mathcal{G} is an arbitrary class of graphs, then the equivalence relation $\sim_{\mathcal{E}_{\mathcal{F}\text{P}\ell\text{M}}, \mathcal{G}, t}^*$ is DP-friendly.*

E.3 A linear kernel for \mathcal{F} -Packing with ℓ -Membership

We are now ready to provide a linear kernel for $\text{CONNECTED-PLANAR } \mathcal{F}\text{-PACKING WITH } \ell\text{-MEMBERSHIP}$.

Theorem 7. *Let \mathcal{F} be a finite family of connected graphs containing at least one planar graph on r vertices, let H be an h -vertex graph, and let \mathcal{G} be the class of H -minor-free graphs. Then $\text{CPFP}\ell\text{M}$ admits a constructive linear kernel of size at most $f(r, h, \ell) \cdot k$, where f is an explicit function depending only on r, h , and ℓ .*

The proof of the above theorem is exactly the same as the one of Theorem 6, the only difference being in the size $s_{\mathcal{E}_{\mathcal{F}\text{P}\ell\text{M}}}(t)$ of the encoder, and hence in the value of $b(\mathcal{E}_{\mathcal{F}\text{P}\ell\text{M}}, g, t, \mathcal{G})$.

F Application to \mathcal{F} -Subgraph-Packing

In this section we apply our framework to problems where the objective is to pack subgraphs. The \mathcal{F} -SUBGRAPH-PACKING problem consists in finding vertex-disjoint subgraphs (instead of minors) isomorphic to graphs in a given finite family \mathcal{F} . Similarly to \mathcal{F} -(MINOR)-PACKING, we study two generalizations of the problem: the ℓ - \mathcal{F} -SUBGRAPH-PACKING asking for subgraphs at distance ℓ from each other, and the \mathcal{F} -SUBGRAPH-PACKING WITH ℓ -MEMBERSHIP problem [16] that allows vertices to belong to at most ℓ subgraphs.

Let \mathcal{F} be a finite set of graphs and let $\ell \geq 1$ be an integer. We define the \mathcal{F} -SUBGRAPH-PACKING, the ℓ - \mathcal{F} -SUBGRAPH-PACKING, and the \mathcal{F} -SUBGRAPH-PACKING WITH ℓ -MEMBERSHIP problems as follows.

\mathcal{F} -SUBGRAPH-PACKING

Instance: A graph G and a non-negative integer k .

Parameter: The integer k .

Question: Does G have k vertex-disjoint subgraphs G_1, \dots, G_k , each isomorphic to a graph in \mathcal{F} ?

ℓ - \mathcal{F} -SUBGRAPH-PACKING

Instance: A graph G and two non-negative integers k and ℓ .

Parameter: The integer k .

Question: Does G have k subgraphs G_1, \dots, G_k pairwise at distance at least ℓ and each isomorphic to a graph in \mathcal{F} ?

\mathcal{F} -SUBGRAPH-PACKING WITH ℓ -MEMBERSHIP

Instance: A graph G and two non-negative integers k and ℓ .

Parameter: The integer k .

Question: Does G have k subgraphs G_1, \dots, G_k , each isomorphic to a graph in \mathcal{F} , and such that each vertex of G belongs to at most ℓ subgraphs?

Again, for technical reasons, we consider the versions of the above problems where all the graphs in \mathcal{F} are connected, called CONNECTED \mathcal{F} -SUBGRAPH-PACKING (CFSP), CONNECTED ℓ - \mathcal{F} -SUBGRAPH-PACKING (C ℓ FSP), and CONNECTED \mathcal{F} -SUBGRAPH-PACKING WITH ℓ -MEMBERSHIP (CFSP ℓ M), respectively. As in Section C, connectivity is necessary to use the equivalent notion of rooted packings. Furthermore, in this section we also need connectivity to build the protrusion decomposition, whereas the presence of a planar graph in \mathcal{F} is not mandatory anymore.

Similarly to \mathcal{F} -PACKING, we establish a relation between instances of \mathcal{F} -SUBGRAPH-PACKING (and its variants) and instances of d -DOMINATING SET for an appropriate value of d . Therefore we also define this problem. Note that here we do not use any Erdős-Pósa property to establish this relation.

d -DOMINATING SET

Instance: A graph G and two non-negative integers k and d .

Parameter: The integer k .

Question: Is there a set D of vertices in G with size at most k , such that for every vertex $v \in V(G)$, $N_d[v] \cap D \neq \emptyset$?

In this section we obtain a linear kernel for CONNECTED \mathcal{F} -SUBGRAPH-PACKING, CONNECTED ℓ - \mathcal{F} -SUBGRAPH-PACKING, and \mathcal{F} -SUBGRAPH-PACKING WITH ℓ -MEMBERSHIP on the families of graphs excluding respectively a fixed graph, a fixed apex graph, and a fixed graph, as a minor.

For these three problems, the structure of a solution will be respectively a *packing of subgraph models*, a *packing of subgraph models*, and a *packing of subgraph models with ℓ -membership*. In order to define a packing of subgraph models, we need the definition of a *subgraph model* of F in G , which is basically an isomorphism from a graph F to a subgraph of G .

Definition 19. A subgraph model of a graph F in a graph G is a mapping Φ , that assigns to every vertex $v \in V(F)$ a vertex $\Phi(v) \in v(G)$, such that

- the vertices $\Phi(v)$ for $v \in V(F)$ are distinct; and
- if $\{u, v\} \in E(F)$, then $\{\Phi(u), \Phi(v)\} \in E(G)$.

We denote by $\Phi(F)$ the subgraph of G with vertex set $\{\Phi(v) : v \in V(F)\}$ and edge set $\{\{\Phi(u), \Phi(v)\} : \{u, v\} \in E(F)\}$, which is obviously isomorphic to F .

Definition 20. Let \mathcal{F} be a set of subgraphs and let G be a graph. A packing of subgraph models \mathcal{S} is a set of vertex-disjoint subgraph models, that is, the graphs $\Phi(F)$ for $\Phi \in \mathcal{S}, F \in \mathcal{F}$ are vertex-disjoint. A packing of subgraph models with ℓ -membership \mathcal{S} is a set of subgraph models such that every vertex $v \in V(G)$ is the image of at most ℓ mappings $\Phi \in \mathcal{S}$.

F.1 A protrusion decomposition for an instance of \mathcal{F} -Subgraph-Packing

In order to find a linear protrusion decomposition, we first need a preprocessing reduction rule. This rule, which has also been used in previous work [5, 21], enables us to establish a relation between instances of \mathcal{F} -SUBGRAPH-PACKING (and its variants) and d -DOMINATING SET. Then we will be able to apply Theorem 4 on d -DOMINATING SET to find a linear treewidth-modulator that allows to construct the decomposition.

Rule 1 Let v be a vertex of G that does not belong to any subgraph of G isomorphic to a graph in \mathcal{F} . Then remove v from G .

Note that Rule 1 can be applied in time $O(n^r)$, where n is the size of G and r is the maximum size of a graph in \mathcal{F} . We call a graph *reduced* under Rule 1 if the rule cannot be applied anymore on G .

The next proposition states a relation between an instance of ℓ - \mathcal{F} -SUBGRAPH-PACKING and d -DOMINATING SET. The relation with the two other problems are straightforward, as explained below.

Proposition 3. Let G be a graph reduced under Rule 1. If (G, k) is a NO-instance of CONNECTED ℓ - \mathcal{F} -SUBGRAPH-PACKING, then (G, k) is a YES-instance of $(2d + \ell)$ -DOMINATING SET, where d is the largest diameter of the graphs in \mathcal{F} .

Proof: Let (G, k) be a NO-instance of ℓ - \mathcal{F} -SUBGRAPH-PACKING and let d be the largest diameter of a graph in \mathcal{F} . Let us choose any vertex $v \in V(G)$ and remove $N_{d+\ell}(v)$ from G . We repeat this operation until there is no subgraph model of \mathcal{F} in G . We call D the set of removed vertices. As (G, k) is a NO-instance of \mathcal{F} -SUBGRAPH-PACKING, $|D| \leq k$ and as G is reduced under Rule 1 all vertices in $V(G) \setminus N_{d+\ell}(D)$ belong to a (connected) subgraph model (which intersects $N_{d+\ell}(D)$), hence all vertices in $V(G) \setminus N_{d+\ell}(D)$ are at distance at most $2d + \ell$ from D . Therefore (G, k) is a YES-instance of $(2d + \ell)$ -DOMINATING SET. \square

Note that if (G, k) is a NO-instance of \mathcal{F} -SUBGRAPH-PACKING WITH ℓ -MEMBERSHIP then it is a NO-instance of \mathcal{F} -SUBGRAPH-PACKING (that is, of 1- \mathcal{F} -SUBGRAPH-PACKING) and then it is a NO-instance of ℓ - \mathcal{F} -SUBGRAPH-PACKING for every integer $\ell \geq 1$. According to Proposition 3, it follows that (G, k) is a YES-instance of $(2d + 1)$ -DOMINATING SET.

We now apply Theorem 4 in order to find a treewidth-modulator for a YES-instance of $(2d + 1)$ -DOMINATING SET. We now use the following corollary of Theorem 4.

Corollary 4. Let \mathcal{F} be a finite set of connected graphs, let H be an h -vertex apex graph, and let \mathcal{G} be the class of H -minor-free graphs. If $(G, k) \in d$ -DS \mathcal{G} , then there exists a set $X \subseteq V(G)$ such that $|X| = k$ and $\mathbf{tw}(G - X) = O(d\sqrt{d} \cdot \tau_H^3 \cdot f_c(h)^3)$. Moreover, given an instance (G, k) with $|V(G)| = n$, there is an algorithm running in time $O(n^3)$ that either finds such a set X or correctly reports that $(G, k) \notin d$ -DS \mathcal{G} .

We are now able to construct a linear protrusion decomposition.

Lemma 11. Let \mathcal{F} be a finite set of connected graphs, let H be an h -vertex apex graph, and let \mathcal{G} be the class of H -minor-free graphs. Let (G, k) be an instance of CONNECTED- ℓ - \mathcal{F} -SUBGRAPH-PACKING (or of CONNECTED- \mathcal{F} -SUBGRAPH-PACKING, or of CONNECTED- \mathcal{F} -SUBGRAPH-PACKING WITH ℓ -MEMBERSHIP). If $(G, k) \notin \text{cFSP}_{\mathcal{G}}$, then we can construct in polynomial time a linear protrusion decomposition of G .

Proof: Given an instance (G, k) of $\text{cFSP}_{\mathcal{G}}$, we run the algorithm given by Corollary 4 for the CONNECTED $(2d + \ell)$ -DOMINATING SET problem, where d is the largest diameter of the graphs in \mathcal{F} . If the algorithm is not able to find a treewidth-modulator X of size $|X| = k$, then by Proposition 3 we can conclude that $(G, k) \in \text{clFSP}_{\mathcal{G}}$ (resp. $(G, k) \in \text{cFSP}_{\mathcal{G}}$ and $(G, k) \in \text{cFSP}\ell\text{M}_{\mathcal{G}}$). Otherwise, we use the set X as input to the algorithm given by Theorem 2, which outputs in linear time an $((\alpha_H \cdot t) \cdot k, 2t + h)$ -protrusion decomposition of G , where

- $t = O((2d + \ell)^{3/2} \cdot \tau_H^3 \cdot f_c(h)^3)$ is provided by Corollary 4; and
- $\alpha_H = O(h^2 2^{O(h \log h)})$ is the constant provided by Theorem 2.

This is an $(h^2 2^{O(h \log h)} \cdot (2d + \ell)^{3/2} \cdot \tau_H^3 \cdot f_c(h)^3 \cdot k, O((2d + \ell)^{3/2} \cdot \tau_H^3 \cdot f_m(h)^3))$ -protrusion decomposition of G . \square

F.2 An encoder for \mathcal{F} -Subgraph-Packing

Our encoder \mathcal{E}_{FSP} for \mathcal{F} -SUBGRAPH-PACKING uses a simplified version of rooted packings.

Definition 21. Let F be a connected graph and let G be a boundaried graph with boundary B . A rooted set of B is a quadruple (A, S_F^*, S_F, ψ) , where

- $S_F \subseteq S_F^*$ are both subsets of $V(F)$;
- A is a non-empty subset of B ;
- $\psi : A \rightarrow S_F$ is a surjective mapping assigning vertices of S_F to the vertices in A ,

We also define a potential subgraph models of F in G matching with (A, S_F^*, S_F, ψ) as a partial mapping Φ , that assigns to every vertex $v \in S_F$ a vertex $\Phi(v) \in A$ such that $\psi(\Phi(v)) = v$, and to every vertex $v \in S_F^*$ a vertex $\Phi(v) \in V(G)$ such that for all $u, v \in S_F^*$ if $\{u, v\} \in E(F)$ then, $\{\Phi(u), \Phi(v)\} \in E(G)$.

Intuitively, the rooted set is a simplification of the rooted packing defined in Section C. The collection \mathcal{A} of subsets of B is replaced with a subset A of B (since now the image of a vertex $v \in V(F)$ is a vertex of G). The sets S_F^*, S_F still describe the subgraph of F which is realized in G and its vertices that lie in B . The function ψ plays the same role as in rooted packings: it can be viewed as the inverse of the potential subgraph model Φ restricted to B . Note that we do not need the function χ anymore because the edges cannot appear later (because now the image of a vertex $v \in V(F)$ is a vertex, and we are dealing with a tree decomposition).

The number of distinct rooted sets at a separator B is upper-bounded by $f(t, F) := 2^t \cdot r^t \cdot 2r^2$, where $t \geq |B|$ and $r = |V(F)|$.

Here, we only describe the encoder for \mathcal{F} -SUBGRAPH-PACKING. Similarly to Section D, the encoder for ℓ - \mathcal{F} -SUBGRAPH-PACKING is obtained by a combination of the encoder for \mathcal{F} -SUBGRAPH-PACKING and the one for ℓ -SCATTERED SET. As in Section E, the encoder for \mathcal{F} -SUBGRAPH-PACKING WITH ℓ -MEMBERSHIP is obtained by allowing intersections in the rooted set.

The encodings generator $\mathcal{C}^{\mathcal{E}_{\text{FSP}}}$. Let $G \in \mathcal{B}_t$ with boundary $\partial(G)$ labeled with $\Lambda(G)$. The function $\mathcal{C}^{\mathcal{E}_{\text{FSP}}}$ maps $\Lambda(G)$ to a set $\mathcal{C}^{\mathcal{E}_{\text{FSP}}}(\Lambda(G))$ of encodings. Each $R \in \mathcal{C}^{\mathcal{E}_{\text{FSP}}}(\Lambda(G))$ is a set of at most $|\Lambda(G)|$ rooted sets $\{(A_i, S_{F_i}^*, S_{F_i}, \psi_i) : F_i \in \mathcal{F}\}$, where each such rooted set encodes a potential subgraph model of $F_i \in \mathcal{F}$ (multiple subgraphs models of the same graph are allowed).

The language $L^{\mathcal{E}_{\text{FSP}}}$. For a packing of subgraph models \mathcal{S} , we say that (G, \mathcal{S}, R) belongs to the language $L^{\mathcal{E}_{\text{FSP}}}$ (or that \mathcal{S} is a packing of models *satisfying* R) if there is a packing of potential subgraph models matching with the rooted sets of R in $G \setminus \bigcup_{\Phi \in \mathcal{S}} \Phi(F)$.

Note that we allow the entirely realized subgraph models of \mathcal{S} to intersect $\partial(G)$ arbitrarily, but they must not intersect potential subgraph models imposed by R .

As in the previous sections, we need to use the relevant function $\bar{f}_g^{\mathcal{E}_{\text{FSP}}}$. To this aim, we need to remark that, given a separator B and a subgraph G_B , a (partial) solution naturally induces an encoding $R_B \in \mathcal{C}^{\mathcal{E}_{\text{FSP}}}(\Lambda(G_B))$ where the rooted sets correspond to the intersection of models with B .

Formally, let G be a t -boundaried graph with boundary A and let \mathcal{S} be a partial solution satisfying some $R_A \in \mathcal{C}^{\mathcal{E}_{\text{FSP}}}(\Lambda(G))$. Let also \mathcal{P} be the set of potential subgraph models matching with the rooted set in R_A . Given a bag B in G , we define the induced encoding $R_B = \{(A_i, S_{F_i}^*, S_{F_i}, \psi_i) : \Phi_i \in \mathcal{S} \cup \mathcal{P}\} \in \mathcal{C}^{\mathcal{E}_{\text{FSP}}}(\Lambda(G_B))$ such that for each (potential) subgraph model $\Phi_i \in \mathcal{S} \cup \mathcal{P}$ of $F_i \in \mathcal{F}$ intersecting B ,

- A_i contains vertices of $\Phi_i(F_i)$ in B ;
- ψ_i maps each vertex of A_i to its corresponding vertex in F_i ; and
- $S_{F_i}^*$ and S_{F_i} correspond to the vertices of F_i whose images by Φ belong to G_B and B , respectively.

Clearly, the set of models of \mathcal{S} entirely realized in G_B is a partial solution satisfying R_B .

The definition of an irrelevant encoding is the same as in Section 4.

The function $\bar{f}_g^{\mathcal{E}_{\mathcal{FSP}}}$. Let $G \in \mathcal{B}_t$ with boundary A . We define the function $\bar{f}_g^{\mathcal{E}_{\mathcal{FSP}}}$ as

$$\bar{f}_g^{\mathcal{E}_{\mathcal{FSP}}}(G, R_A) = \begin{cases} -\infty, & \text{if } f^{\mathcal{E}_{\mathcal{FSP}}}(G, R_A) + t < \max\{f^{\mathcal{E}_{\mathcal{FSP}}}(G, R) : R \in \mathcal{C}^{\mathcal{E}_{\mathcal{FSP}}}(A(G))\} \\ & \text{or if } R_A \text{ is irrelevant for } \bar{f}_g^{\mathcal{E}_{\mathcal{FSP}}}. \\ f^{\mathcal{E}_{\mathcal{FSP}}}(G, R), & \text{otherwise.} \end{cases}$$

In the above equation, $f^{\mathcal{E}_{\mathcal{FSP}}}$ is the natural maximization function, that is $f^{\mathcal{E}_{\mathcal{FSP}}}(G, R)$ is the maximal number of (entirely realized) subgraph models in G which do not intersect potential subgraph models imposed by R . Formally,

$$f^{\mathcal{E}_{\mathcal{FSP}}}(G, R) = \max\{k : \exists \mathcal{S}, |\mathcal{S}| \geq k, (G, \mathcal{S}, R) \in L^{\mathcal{E}_{\mathcal{FSP}}}\}.$$

The size of $\mathcal{E}_{\mathcal{FSP}}$. Recall that $f(t, F) := 2^t \cdot r^t \cdot 2^{r^2}$ is the number of rooted sets for a subgraph F of size r on a boundary of size t . Our encoder contains at most t rooted sets, for subgraphs of size at most $r := \max_{F \in \mathcal{F}} |V(F)|$ and such that the sum of their boundary size is at most t . Hence we can bound the size of the encoder as

$$s_{\mathcal{E}_{\mathcal{FSP}}}(t) \leq \left(\sum_{j \in J} 2^j \cdot r^j \cdot 2^{r^2} \right) \leq t \cdot 2^t \cdot r^t \cdot 2^{r^2}.$$

Note that the encoder for ℓ - \mathcal{F} -SUBGRAPH-PACKING generates couples of encodings for \mathcal{F} -SUBGRAPH-PACKING and ℓ -SCATTERED SET, and therefore the size of the encoder can be bounded as

$$s_{\mathcal{E}_{\ell\mathcal{FSP}}}(t) \leq s_{\mathcal{E}_{\mathcal{FSP}}}(t) \cdot (\ell + 2)^{t^2}.$$

Finally, note that the encoder for \mathcal{F} -SUBGRAPH-PACKING WITH ℓ -MEMBERSHIP contains at most ℓt rooted sets on a boundary of size t , and thus the size of the encoder can be bounded as

$$s_{\mathcal{E}_{\mathcal{FSP}}}(t) \leq \ell t \cdot 2^t \cdot r^t \cdot 2^{r^2}.$$

Similarly to Fact 2, the following fact claims that rooted sets allow us to glue and unglue boundaried graphs, preserving the existence of subgraphs. We omit the proof as it is very similar to the one of Fact 2.

Fact 3 *Let $G \in \mathcal{B}_t$ with boundary A , let Φ be a subgraph model (resp. a potential subgraph model matching with a rooted set defined on A) of a graph F in G , let B be a separator of G , and let $G_B \in \mathcal{B}_t$ be as in Definition 12. Let (A, S_F^*, S_F, ψ) be the rooted set induced by Φ (as defined above). Let $G'_B \in \mathcal{B}_t$ with boundary B and let G' be the graph obtained by replacing G_B with G'_B . If G'_B has a potential subgraph model Φ'_B matching with (A, S_F^*, S_F, ψ) , then G' has a subgraph model (resp. a potential subgraph model) of F .*

We now have to prove that the encoders $\mathcal{E}_{\mathcal{FSP}}$, $\mathcal{E}_{\ell\mathcal{FSP}}$, $\mathcal{E}_{\mathcal{FSP}\ell M}$ are confined and DP-friendly. The proofs are very similar to the proof of Lemma 6; the proofs for $\mathcal{E}_{\ell\mathcal{FSP}}$ and $\mathcal{E}_{\mathcal{FSP}\ell M}$ have to be adapted following Sections D and E, respectively. This seems natural as the encoder $\mathcal{E}_{\mathcal{FSP}}$ is defined with rooted sets, which are simplifications of rooted packings.

Lemma 12. *The encoders $\mathcal{E}_{\mathcal{FSP}}$, $\mathcal{E}_{\ell\mathcal{FSP}}$, and $\mathcal{E}_{\mathcal{FSP}\ell M}$ are g -confined for $g(t) = t$, $g(t) = 2t$, and $g(t) = t$, respectively. They are respectively a cFSP-encoder, a clFSP-encoder, and a cFSP ℓM -encoder. Furthermore, if \mathcal{G} is an arbitrary class of graphs, then the equivalence relations $\sim_{\mathcal{E}_{\mathcal{FSP}, \mathcal{G}, t}^*}$, $\sim_{\mathcal{E}_{\ell\mathcal{FSP}, \mathcal{G}, t}^*}$, and $\sim_{\mathcal{E}_{\mathcal{FSP}\ell M, \mathcal{G}, t}^*}$ are DP-friendly.*

F.3 A linear kernel for \mathcal{F} -Subgraph-Packing

We are now ready to provide a linear kernel for CONNECTED \mathcal{F} -SUBGRAPH-PACKING, CONNECTED ℓ - \mathcal{F} -SUBGRAPH-PACKING, and CONNECTED \mathcal{F} -SUBGRAPH-PACKING WITH ℓ -MEMBERSHIP.

Theorem 8. *Let \mathcal{F} be a finite family of connected graphs with diameter at most d , let H be an h -vertex graph, and let \mathcal{G} be the class of H -minor-free graphs. Then CONNECTED \mathcal{F} -SUBGRAPH-PACKING, CONNECTED ℓ - \mathcal{F} -SUBGRAPH-PACKING, and CONNECTED \mathcal{F} -SUBGRAPH-PACKING WITH ℓ -MEMBERSHIP admit constructive kernels of size $O(k)$, where the constant hidden in the “ O ” notation depends on h , d , and ℓ .*

The proof is similar to the ones in the previous sections. Using the protrusion decomposition given by Lemma 11 and the encoders described in Section F.2, we have all the material to apply Corollary 1. The size of the kernel differs from the previous sections due to the size of the encoders and due to the bound on the treewidth of protrusions given by Lemma 11.

To conclude, we would like to mention that Romero and López-Ortiz [34] introduced another problem allowing intersection of subgraph models, called \mathcal{F} -(SUBGRAPH)-PACKING WITH ℓ -OVERLAP. In this problem, also studied in [16, 35], a subgraph model can intersect any number of other models, but they are allowed to pairwise intersect on at most ℓ vertices. It is easier to perform dynamic programming on the membership version than on the overlap version, since the intersection constraint is local for the first one (just on vertices) but global for the second one (on pairs of models). However, we think that it is possible to define an encoder (with all the required properties) for \mathcal{F} -(SUBGRAPH)-PACKING WITH ℓ -OVERLAPS using rooted sets and vectors of integers counting the overlaps (similarly to ℓ - \mathcal{F} -SUBGRAPH-PACKING). This would imply the existence of a linear kernel for the \mathcal{F} -(SUBGRAPH)-PACKING WITH ℓ -OVERLAP problem on sparse graphs. We leave it for further research.